

Civil Engineering Database Keyword Index

The Civil Engineering Database (CEDB) is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1972. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2002 from a CEDB keyword list. The CEDB and keyword list can be accessed on the Web at <http://www.pubs.asce.org/cedbsrch.html>.

Abrasives

High Volume Fly Ash Abrasion Resistant Concrete. — Cengiz Duran Atis; 14(3), 274-7 (2002).

Effect of Source of Fly Ash on Abrasion Resistance of Concrete. — Tarun R. Naik, Shiw S. Singh, and Bruce W. Ramme; 14(5), 417-26 (2002).

Absorption

New Tests for Porosity and Water Absorption of Fired Clay Bricks. — F. M. Khalaf and A. S. DeVenny; 14(4), 334-7 (2002).

Properties of Polymer Modified Bitumen after Rubber-Bitumen Interaction. — G. D. Airey, T. M. Singleton, and A. C. Collop; 14(4), 344-54 (2002).

Adhesives

Effects of Environmental Conditions on Performance of Polymeric Adhesives for Restoration of Concrete Structures. — Maria A. Aiello, Mariaenrica Frigione, and Domenico Acerno; 14(2), 185-9 (2002).

Admixtures

Carbonation of Concrete Exposed to Hot and Arid Climate. — Husain Al-Khaiat and Nijad Fattuhi; 14(2), 97-107 (2002).

Aggregates

Lightweight Concrete Masonry with Recycled Wood Aggregate. — Douglas C. Stahl, Gregg Skoraczewski, Phil Arena, and Bryant Stempki; 14(2), 116-21 (2002).

Investigation of Premature Failure of Dense Friction Course Asphalt Highways in Ontario. — Moncef Nehdi and Kevin Welker; 14(3), 210-6 (2002).

Correlations between Mechanical Properties of High-Strength Concrete. — M. A. Rashid, M. A. Mansur, and P. Paramasivam; 14(3), 230-8 (2002).

Cement Stabilization of Reclaimed Asphalt Pavement Aggregate for Road Bases and Subbases. — Ramzi Taha, Ali Al-Harthy, Khalid Al-Shamsi, and Muamer Al-Zubeidi; 14(3), 239-45 (2002).

Concrete Aggregates Made from Sludge-Marine Clay Mixes. — Joo-Hwa Tay, Kuan-Yeow Show, and Sze-Yunn Hong; 14(5), 392-8 (2002).

Anisotropic Modular Ratios as Unbound Aggregate Performance Indicators. — Umit Seyhan and Erol Tutumluer; 14(5), 409-16 (2002).

Air entrainment

Effect of Source of Fly Ash on Abrasion Resistance of Concrete. — Tarun R. Naik, Shiw S. Singh, and Bruce W. Ramme; 14(5), 417-26 (2002).

Anchorage

Pullout Bond Properties of Fiber-Reinforced Polymer Tendons to Grout. — Burong Zhang and Ibrahim Benmokrane; 14(5), 399-408 (2002).

Anisotropy

Mechanical Behavior of Ferrocement Composites: Numerical Simulation. — Pankaj, Mohammed Arif, and Surendra K. Kaushik; 14(2), 156-63 (2002).

Micromechanics-Based Analysis of Stiffness Anisotropy in Asphalt Mixtures. — Eyad Masad, Laith Tashman, Niranjana Somedavan, and Dallas Little; 14(5), 374-83 (2002).

Ashes

Sawdust Ash as Concrete Material. — Felix F. Udo-eyo and Philibus U. Dashibil; 14(2), 173-6 (2002).

Application of Coal Ash in Fluidized Thermal Beds. — Prabir K. Kolay and Devendra N. Singh; 14(5), 441-4 (2002).

Asphalt cement

Properties of Polymer Modified Bitumen after Rubber-Bitumen Interaction. — G. D. Airey, T. M. Singleton, and A. C. Collop; 14(4), 344-54 (2002).

Utilization of Reclaimed Polyethylene in Bituminous Paving Mixes. — Mahabir Panda and Mayajit Mazumdar; 14(6), 527-30 (2002).

Asphalt mixes

Characterization of Air Void Distribution in Asphalt Mixes using X-ray Computed Tomography. — E. Masad, V. K. Jandhyala, N. Dasgupta, N. Somedavan, and N. Shashidhar; 14(2), 122-9 (2002).

Effects of Inorganic and Polymer Filler on Tertiary Damage Development in Asphalt Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(2), 164-72 (2002).

History of Hot Mix Asphalt Mixture Design in the United States. — Freddy L. Roberts, Louay N. Mohammad, and L. B. Wang; 14(4), 279-93 (2002).

Use of Cement Bypass Dust as Filler in Asphalt Concrete Mixtures. — Ramzi Taha, Amer Al-Rawas, Ali Al-Harthy, and Ahmed Qatan; 14(4), 338-43 (2002).

Micromechanics-Based Analysis of Stiffness Anisotropy in Asphalt Mixtures. — Eyad Masad, Laith Tashman, Niranjana Somedavan, and Dallas Little; 14(5), 374-83 (2002).

Characterization of Microdamage and Healing of Asphalt Concrete Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(6), 461-70 (2002).

Shear Modulus and Damping Ratio of Rubber-modified Asphalt Mixes and Unsaturated Subgrade Soils. — X. G. Zhong, X. Zeng, and J. G. Rose; 14(6), 496-502 (2002).

Asphalt pavements

Cement Stabilization of Reclaimed Asphalt Pavement Aggregate for Road Bases and Subbases. — Ramzi Taha, Ali Al-Harthy, Khalid Al-Shamsi, and Muamer Al-Zubeidi; 14(3), 239-45 (2002).

Asphaltic concrete

History of Hot Mix Asphalt Mixture Design in the United States. — Freddy L. Roberts, Louay N. Mohammad, and L. B. Wang; 14(4), 279-93 (2002).

Crack Initiation Model from Asphalt Slab Tests. — Yongqi Li and John B. Metcalfe; 14(4), 303-10 (2002).

Asphalts

Investigation of Premature Failure of Dense Friction Course Asphalt Highways in Ontario. — Moncef Nehdi and Kevin Welker; 14(3), 210-6 (2002).

Asphalt Modified by Styrene-Butadiene-Styrene Triblock Copolymer: Morphology and Model. — Jian-Shiuh Chen, Min-Chih Liao, and Ming-Shen Shiah; 14(3), 224-9 (2002).

Method to Predict Temperature Susceptibility of an Asphalt Binder. — Robert Otto Rasmussen, Robert L. Lytton, and George K. Chang; 14(3), 246-52 (2002).

Beams

Application of Stress Diffusers to Beam-to-Column Connection. — S. D. Dimitrakakis and V. Lawrence; 14(1), 84-9 (2002).

Size Effect on Failure of Concrete Beams With and Without Steel Fibers. — Siddik Şener, Meral Begimil, and Çağatay Belgin; 14(5), 436-40 (2002).

Bearing capacity

Shearing Behavior of Joints in Load-Bearing Masonry Wall. — Nagwa R. El-Sakhawy, Hussein Abdel Raof, and Amira Gouhar; 14(2), 145-50 (2002).

Binders, materials

Asphalt Modified by Styrene-Butadiene-Styrene Triblock Copolymer: Morphology and Model. — Jian-Shiuh Chen, Min-Chih Liao, and Ming-Shen Shiah; 14(3), 224-9 (2002).

Method to Predict Temperature Susceptibility of an Asphalt Binder. — Robert Otto Rasmussen, Robert L. Lytton, and George K. Chang; 14(3), 246-52 (2002).

Bitumen

Properties of Polymer Modified Bitumen after Rubber-Bitumen Interaction. — G. D. Airey, T. M. Singleton, and A. C. Collop; 14(4), 344-54 (2002).

Bond stress

Bond-slip Response of Reinforcing Bars Embedded in Plain and Fiber Concrete. — M. Harajli, B. Hamad, and K. Karam; 14(6), 503-11 (2002).

Civil Engineering Database Keyword Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1972. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2002 from a CEDB keyword list. The CEDB and keyword list can be accessed on the Web at <http://www.pubs.asce.org/cedbsrch.html>.

Abrasives

- High Volume Fly Ash Abrasion Resistant Concrete. — Cengiz Duran Atis; 14(3), 274-7 (2002).
Effect of Source of Fly Ash on Abrasion Resistance of Concrete. — Tarun R. Naik, Shiw S. Singh, and Bruce W. Ramme; 14(5), 417-26 (2002).

Absorption

- New Tests for Porosity and Water Absorption of Fired Clay Bricks. — F. M. Khalaf and A. S. DeVenny; 14(4), 334-7 (2002).
Properties of Polymer Modified Bitumen after Rubber-Bitumen Interaction. — G. D. Airey, T. M. Singleton, and A. C. Collop; 14(4), 344-54 (2002).

Adhesives

- Effects of Environmental Conditions on Performance of Polymeric Adhesives for Restoration of Concrete Structures. — Maria A. Aiello, Mariaenrica Frigione, and Domenico Acerno; 14(2), 185-9 (2002).

Admixtures

- Carbonation of Concrete Exposed to Hot and Arid Climate. — Husain Al-Khaiat and Nijad Fattuhi; 14(2), 97-107 (2002).

Aggregates

- Lightweight Concrete Masonry with Recycled Wood Aggregate. — Douglas C. Stahl, Gregg Skoraczewski, Phil Arena, and Bryant Stempki; 14(2), 116-21 (2002).
Investigation of Premature Failure of Dense Friction Course Asphalt Highways in Ontario. — Moncef Nehdi and Kevin Welker; 14(3), 210-6 (2002).
Correlations between Mechanical Properties of High-Strength Concrete. — M. A. Rashid, M. A. Mansur, and P. Paramasivam; 14(3), 230-8 (2002).
Cement Stabilization of Reclaimed Asphalt Pavement Aggregate for Road Bases and Subbases. — Ramzi Taha, Ali Al-Harthy, Khalid Al-Shamsi, and Muamer Al-Zubeidi; 14(3), 239-45 (2002).
Concrete Aggregates Made from Sludge-Marine Clay Mixes. — Joo-Hwa Tay, Kuan-Yeow Show, and Sze-Yunn Hong; 14(5), 392-8 (2002).
Anisotropic Modular Ratios as Unbound Aggregate Performance Indicators. — Umit Seyhan and Erol Tutumluer; 14(5), 409-16 (2002).

Air entrainment

- Effect of Source of Fly Ash on Abrasion Resistance of Concrete. — Tarun R. Naik, Shiw S. Singh, and Bruce W. Ramme; 14(5), 417-26 (2002).

Anchorage

- Pullout Bond Properties of Fiber-Reinforced Polymer Tendons to Grout. — Burong Zhang and Ibrahim Benmokrane; 14(5), 399-408 (2002).

Anisotropy

- Mechanical Behavior of Ferrocement Composites: Numerical Simulation. — Pankaj, Mohammed Arif, and Surendra K. Kaushik; 14(2), 156-63 (2002).

- Micromechanics-Based Analysis of Stiffness Anisotropy in Asphalt Mixtures. — Eyad Masad, Laith Tashman, Niranjana Somedavan, and Dallas Little; 14(5), 374-83 (2002).

Ashes

- Sawdust Ash as Concrete Material. — Felix F. Udo-eyo and Philibus U. Dashibil; 14(2), 173-6 (2002).

- Application of Coal Ash in Fluidized Thermal Beds. — Prabir K. Kolay and Devendra N. Singh; 14(5), 441-4 (2002).

Asphalt cement

- Properties of Polymer Modified Bitumen after Rubber-Bitumen Interaction. — G. D. Airey, T. M. Singleton, and A. C. Collop; 14(4), 344-54 (2002).

- Utilization of Reclaimed Polyethylene in Bituminous Paving Mixes. — Mahabir Panda and Mayajit Mazumdar; 14(6), 527-30 (2002).

Asphalt mixes

- Characterization of Air Void Distribution in Asphalt Mixes using X-ray Computed Tomography. — E. Masad, V. K. Jandhyala, N. Dasgupta, N. Somedavan, and N. Shashidhar; 14(2), 122-9 (2002).

- Effects of Inorganic and Polymer Filler on Tertiary Damage Development in Asphalt Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(2), 164-72 (2002).

- History of Hot Mix Asphalt Mixture Design in the United States. — Freddy L. Roberts, Louay N. Mohammad, and L. B. Wang; 14(4), 279-93 (2002).

- Use of Cement Bypass Dust as Filler in Asphalt Concrete Mixtures. — Ramzi Taha, Amer Al-Rawas, Ali Al-Harthy, and Ahmed Qatan; 14(4), 338-43 (2002).

- Micromechanics-Based Analysis of Stiffness Anisotropy in Asphalt Mixtures. — Eyad Masad, Laith Tashman, Niranjana Somedavan, and Dallas Little; 14(5), 374-83 (2002).

- Characterization of Microdamage and Healing of Asphalt Concrete Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(6), 461-70 (2002).

- Shear Modulus and Damping Ratio of Rubber-modified Asphalt Mixes and Unsaturated Subgrade Soils. — X. G. Zhong, X. Zeng, and J. G. Rose; 14(6), 496-502 (2002).

Asphalt pavements

- Cement Stabilization of Reclaimed Asphalt Pavement Aggregate for Road Bases and Subbases. — Ramzi Taha, Ali Al-Harthy, Khalid Al-Shamsi, and Muamer Al-Zubeidi; 14(3), 239-45 (2002).

Asphaltic concrete

- History of Hot Mix Asphalt Mixture Design in the United States. — Freddy L. Roberts, Louay N. Mohammad, and L. B. Wang; 14(4), 279-93 (2002).

- Crack Initiation Model from Asphalt Slab Tests. — Yongqi Li and John B. Metcalfe; 14(4), 303-10 (2002).

Asphalts

- Investigation of Premature Failure of Dense Friction Course Asphalt Highways in Ontario. — Moncef Nehdi and Kevin Welker; 14(3), 210-6 (2002).

- Asphalt Modified by Styrene-Butadiene-Styrene Triblock Copolymer: Morphology and Model. — Jian-Shiuh Chen, Min-Chih Liao, and Ming-Shen Shiah; 14(3), 224-9 (2002).

- Method to Predict Temperature Susceptibility of an Asphalt Binder. — Robert Otto Rasmussen, Robert L. Lytton, and George K. Chang; 14(3), 246-52 (2002).

Beams

- Application of Stress Diffusers to Beam-to-Column Connection. — S. D. Dimitrakakis and V. Lawrence; 14(1), 84-9 (2002).

- Size Effect on Failure of Concrete Beams With and Without Steel Fibers. — Siddik Şener, Meral Begimgil, and Çağatay Belgin; 14(5), 436-40 (2002).

Bearing capacity

- Shearing Behavior of Joints in Load-Bearing Masonry Wall. — Nagwa R. El-Sakhawy, Hussein Abdel Raof, and Amira Gouhar; 14(2), 145-50 (2002).

Binders, materials

- Asphalt Modified by Styrene-Butadiene-Styrene Triblock Copolymer: Morphology and Model. — Jian-Shiuh Chen, Min-Chih Liao, and Ming-Shen Shiah; 14(3), 224-9 (2002).

- Method to Predict Temperature Susceptibility of an Asphalt Binder. — Robert Otto Rasmussen, Robert L. Lytton, and George K. Chang; 14(3), 246-52 (2002).

Bitumen

- Properties of Polymer Modified Bitumen after Rubber-Bitumen Interaction. — G. D. Airey, T. M. Singleton, and A. C. Collop; 14(4), 344-54 (2002).

Bond stress

- Bond-slip Response of Reinforcing Bars Embedded in Plain and Fiber Concrete. — M. Harajli, B. Hamad, and K. Karam; 14(6), 503-11 (2002).

Bonding

Pullout Bond Properties of Fiber-Reinforced Polymer Tendons to Grout. — Burong Zhang and Ibrahim Benmokrane; 14(5), 399-408 (2002).

Bottom ash

Effects of Constituent Materials and Quantities on Water Demand and Compressive Strength of Controlled Low-Strength Material. — Lianxiang Du, Kevin J. Folliard, and David Trejo; 14(6), 485-95 (2002).

Bricks

New Tests for Porosity and Water Absorption of Fired Clay Bricks. — F. M. Khalaf and A. S. DeVenny; 14(4), 334-7 (2002).

Brittle failure

Mechanical Resistance of Steel Fiber Reinforced Concrete to Axial Load. — M. M. Kholmyansky; 14(4), 311-9 (2002).

Brittleness

Testing and Response of Large Diameter Brittle Materials Subjected to High Strain Rate. — T. S. Lok, X. B. Li, D. Liu, and P. J. Zhao; 14(3), 262-9 (2002).

Building frames

Cracked Column Flanges in Steel Moment Frame Buildings: Considerations for Their Repair including Report on Tests on Volumetric Weld Repairs. — Gregg Brandow and Peter Maranian; 14(1), 75-83 (2002).

Buildings

Supplemental Ultrasonic Code Inspection of Structural Weldments. — George J. Gruber and Glenn M. Light; 14(1), 57-61 (2002).

California

Supplemental Ultrasonic Code Inspection of Structural Weldments. — George J. Gruber and Glenn M. Light; 14(1), 57-61 (2002).

California bearing ratio

Clegg Hammer—California-Bearing Ratio Correlations. — Omar Saeed Baghabra Al-Amoudi, Ibrahim Mohammed Asi, Hamad I. Al-Abdul Wahhab, and Ziauddin A. Khan; 14(6), 512-23 (2002).

Canada

Investigation of Premature Failure of Dense Friction Course Asphalt Highways in Ontario. — Moncef Nehdi and Kevin Welker; 14(3), 210-6 (2002).

Carbonation

Carbonation of Concrete Exposed to Hot and Arid Climate. — Husain Al-Khaiat and Nijad Fattuhi; 14(2), 97-107 (2002).

Cements

Cementitious Materials—Nine Millennia and A New Century: Past, Present, and Future. — Arnon Bentur; 14(1), 2-22 (2002).

Carbonation of Concrete Exposed to Hot and Arid Climate. — Husain Al-Khaiat and Nijad Fattuhi; 14(2), 97-107 (2002).

Cement Stabilization of Reclaimed Asphalt Pavement Aggregate for Road Bases and Subbases. — Ramzi Taha, Ali Al-Harthy, Khalid Al-Shamsi, and Muamer Al-Zubeidi; 14(3), 239-45 (2002).

Fracture Toughness of Microfiber Reinforced Cement Composites. — Patricia Kim Nelson, Victor C. Li, and Toshiro Kamada; 14(5), 384-91 (2002).

Characterization and Chemical Stabilization of Al-Qurayyah Sabkha Soil. — Omar Saeed Baghabra Al-Amoudi; 14(6), 478-84 (2002).

Strengths of Cement Kiln Dust Concrete. — Felix F. Udoyo and Abdul Hyee; 14(6), 524-6 (2002).

Chlorides

Neural Network Analysis of Chloride Diffusion in Concrete. — Jun Peng, Zongjin Li, and Baoguo Ma; 14(4), 327-33 (2002).

Clays

New Tests for Porosity and Water Absorption of Fired Clay Bricks. — F. M. Khalaf and A. S. DeVenny; 14(4), 334-7 (2002).

Concrete Aggregates Made from Sludge-Marine Clay Mixes. — Joo-Hwa Tay, Kuan-Yeow Show, and Sze-Yunn Hong; 14(5), 392-8 (2002).

Review of Stabilization of Clays and Expansive Soils in Pavements and Lightly Loaded Structures—History, Practice, and Future. — Thomas M. Petry and Dallas N. Little; 14(6), 447-60 (2002).

Coal

Application of Coal Ash in Fluidized Thermal Beds. — Prabir K. Kolay and Devendra N. Singh; 14(5), 441-4 (2002).

Coating

Carbonation of Concrete Exposed to Hot and Arid Climate. — Husain Al-Khaiat and Nijad Fattuhi; 14(2), 97-107 (2002).

Columns

Cracked Column Flanges in Steel Moment Frame Buildings: Considerations for Their Repair including Report on Tests on Volumetric Weld Repairs. — Gregg Brandow and Peter Maranian; 14(1), 75-83 (2002).

Application of Stress Diffusers to Beam-to-Column Connection. — S. D. Dimitrakakis and F. V. Lawrence; 14(1), 84-9 (2002).

Compaction

Clegg Hammer—California-Bearing Ratio Correlations. — Omar Saeed Baghabra Al-Amoudi, Ibrahim Mohammed Asi, Hamad I. Al-Abdul Wahhab, and Ziauddin A. Khan; 14(6), 512-23 (2002).

Comparative studies

Comparative Study on Flexural Response of Full and Partial Depth Fiber-Reinforced High-Strength Concrete. — S. K. Padmarajaiah and Ananth Ramaswamy; 14(2), 130-6 (2002).

Composite materials

Wood and Wood-Based Materials: Current Status and Future of a Structural Material. — Kenneth J. Fridley; 14(2), 91-6 (2002).

Mechanical Behavior of Ferrocement Composites: Numerical Simulation. — Pankaj, Mohammed Arif, and Surendra K. Kaushik; 14(2), 156-63 (2002).

Fracture Toughness of Microfiber Reinforced Cement Composites. — Patricia Kim Nelson, Victor C. Li, and Toshiro Kamada; 14(5), 384-91 (2002).

Compressive strength

Fracture and Tension Properties of Roller Compacted Concrete Cores in Uniaxial Tension. — Qingbin Li, Fude Zhang, Wencui Zhang, and Lichen Yang; 14(5), 366-73 (2002).

Effect of Source of Fly Ash on Abrasion Resistance of Concrete. — Tarun R. Naik, Shiw S. Singh, and Bruce W. Ramme; 14(5), 417-26 (2002).

Effects of Constituent Materials and Quantities on Water Demand and Compressive Strength of Controlled Low-Strength Material. — Lianxiang Du, Kevin J. Folliard, and David Trejo; 14(6), 485-95 (2002).

Concrete

Cementitious Materials—Nine Millennia and A New Century: Past, Present, and Future. — Arnon Bentur; 14(1), 2-22 (2002).

Carbonation of Concrete Exposed to Hot and Arid Climate. — Husain Al-Khaiat and Nijad Fattuhi; 14(2), 97-107 (2002).

Experimental Tests of Rolled Compacted Concrete and Nonlinear Fracture Analysis of Rolled Compacted Concrete Dams. — Zhang Chuhan, Wang Guanglun, Wang Shaomin, and Dong Yuxing; 14(2), 108-15 (2002).

Characterization of Distinct Element Modeling Parameters for Fresh Concrete and its Application in Shotcrete Simulations. — U. C. Puri and T. Uomoto; 14(2), 137-44 (2002).

Interpretation of Concrete Strength for Nonstandard Specimens. — M. A. Mansur and M. M. Islam; 14(2), 151-5 (2002).

Sawdust Ash as Concrete Material. — Felix F. Udoyo and Philibus U. Dashibil; 14(2), 173-6 (2002).

Testing and Response of Large Diameter Brittle Materials Subjected to High Strain Rate. — T. S. Lok, X. B. Li, D. Liu, and P. J. Zhao; 14(3), 262-9 (2002).

High Volume Fly Ash Abrasion Resistant Concrete. — Cengiz Duran Atis; 14(3), 274-7 (2002).

Neural Network Analysis of Chloride Diffusion in Concrete. — Jun Peng, Zongjin Li, and Baoguo Ma; 14(4), 327-33 (2002).

Permeability of Cracked Steel Fiber-Reinforced Concrete. — Julie Rapoport, Corina-Maria Aldea, Surendra P. Shah, Bruce Ankenman, and Alan Karr; 14(4), 355-8 (2002).

Fracture and Tension Properties of Roller Compacted Concrete Cores in Uniaxial Tension. — Qingbin Li, Fude Zhang, Wencui Zhang, and Lichen Yang; 14(5), 366-73 (2002).

Concrete Aggregates Made from Sludge-Marine Clay Mixes. — Joo-Hwa Tay, Kuan-Yeow Show, and Sze-Yunn Hong; 14(5), 392-8 (2002).

Effect of Source of Fly Ash on Abrasion Resistance of Concrete. — Tarun R. Naik, Shiw S. Singh, and Bruce W. Ramme; 14(5), 417-26 (2002).

Size Effect on Failure of Concrete Beams With and Without Steel Fibers. — Siddik Şener, Meral Begimil, and Çağatay Belgin; 14(5), 436-40 (2002).

Strengths of Cement Kiln Dust Concrete. — Felix F. Udoyo and Abdul Hyee; 14(6), 524-6 (2002).

Concrete masonry

Lightweight Concrete Masonry with Recycled Wood Aggregate. — Douglas C. Stahl, Gregg Skoraczewski, Phil Arena, and Bryant Stempksi; 14(2), 116-21 (2002).

Concrete slabs

Introducing Ductile Strip for Durability Enhancement of Concrete Slabs. — Jun Zhang, Victor C. Li, Andrzej S. Nowak, and Shuxin Wang; 14(3), 253-61 (2002).

Concrete structures

Effects of Environmental Conditions on Performance of Polymeric Adhesives for Restoration of Concrete Structures. — Maria A. Aiello, Mariaenrica Frigione, and Domenico Acierno; 14(2), 185-9 (2002).

Concrete tests

Interpretation of Concrete Strength for Nonstandard Specimens. — M. A. Mansur and M. M. Islam; 14(2), 151-5 (2002).

Concrete, reinforced

Mechanical Behavior of Ferrocement Composites: Numerical Simulation. — Pankaj, Mohammed Arif, and Surendra K. Kaushik; 14(2), 156-63 (2002).

Use of Fiber Reinforced Polymer Composites as Reinforcing Material for Concrete. — Taketo Uomoto, Hiroshi Mutsuyoshi, Futoshi Katsuki, and Sudhir Misra; 14(3), 191-209 (2002).

Mechanical Resistance of Steel Fiber Reinforced Concrete to Axial Load. — M. M. Kholmyansky; 14(4), 311-9 (2002).

Bond-slip Response of Reinforcing Bars Embedded in Plain and Fiber Concrete. — M. Harajli, B. Hamad, and K. Karam; 14(6), 503-11 (2002).

Connections

Application of Stress Diffusers to Beam-to-Column Connection. — S. D. Dimitrakis and F. V. Lawrence; 14(1), 84-9 (2002).

Connections, welded

Failure Analysis of Welded Steel Moment-Resisting Frame Connections. — John M. Barsom and J. V. Pellegrino, Jr.; 14(1), 24-34 (2002).

Weld Acceptance Criteria for Seismically Loaded Steel Structures. — William Mohr; 14(1), 50-6 (2002).

Ultrasonic Testing Procedures, Technician Skills, and Qualifications. — Robert E. Shaw, Jr.; 14(1), 62-7 (2002).

Construction materials

Use of Fiber Reinforced Polymer Composites as Reinforcing Material for Concrete. — Taketo Uomoto, Hiroshi Mutsuyoshi, Futoshi Katsuki, and Sudhir Misra; 14(3), 191-209 (2002).

Correlation

Characterization and Chemical Stabilization of Al-Qurayyah Sabkha Soil. — Omar Saeed Baghabra Al-Amoudi; 14(6), 478-84 (2002).

Corrosion

Corrosion Detection of Steel Cables using Time Domain Reflectometry. — Wei Liu, Robert G. Hunsperger, Michael J. Chajes, Kevin J. Folliard, and Eric Kunz; 14(3), 217-23 (2002).

Coverings

Static Small Component Tests on 2-Inch-Thick Specimens using Weld Overlays. — Peter J. Maranian and Warner Simon; 14(1), 68-74 (2002).

Crack propagation

Mechanical Resistance of Steel Fiber Reinforced Concrete to Axial Load. — M. M. Kholmyansky; 14(4), 311-9 (2002).

Cracking

Cracked Column Flanges in Steel Moment Frame Buildings: Considerations for Their Repair including Report on Tests on Volumetric Weld Repairs. — Gregg Brandow and Peter Maranian; 14(1), 75-83 (2002).

Effects of Inorganic and Polymer Filler on Tertiary Damage Development in Asphalt Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(2), 164-72 (2002).

Introducing Ductile Strip for Durability Enhancement of Concrete Slabs. — Jun Zhang, Victor C. Li, Andrzej S. Nowak, and Shuxin Wang; 14(3), 253-61 (2002).

Risks of Cracking and Delamination in Patch Repair. — Mohammed H. Baluch, Mohammad K. Rahman, and Ali H. Al-Gadhib; 14(4), 294-302 (2002).

Crack Initiation Model from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 14(4), 303-10 (2002).

Mechanical Resistance of Steel Fiber Reinforced Concrete to Axial Load. — M. M. Kholmyansky; 14(4), 311-9 (2002).

Permeability of Cracked Steel Fiber-Reinforced Concrete. — Julie Rapoport, Corina-Maria Aldea, Surendra P. Shah, Bruce Ankenman, and Alan Karr; 14(4), 355-8 (2002).

Fracture and Tension Properties of Roller Compacted Concrete Cores in Uniaxial Tension. — Qingbin Li, Fude Zhang, Wencui Zhang, and Lichen Yang; 14(5), 366-73 (2002).

Cylinders

Interpretation of Concrete Strength for Nonstandard Specimens. — M. A. Mansur and M. M. Islam; 14(2), 151-5 (2002).

Damage

Fracture Toughness of Microfiber Reinforced Cement Composites. — Patricia Kim Nelson, Victor C. Li, and Toshiro Kamada; 14(5), 384-91 (2002).

Characterization of Microdamage and Healing of Asphalt Concrete Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(6), 461-70 (2002).

Damping

Shear Modulus and Damping Ratio of Rubber-modified Asphalt Mixes and Unsaturated Subgrade Soils. — X. G. Zhong, X. Zeng, and J. G. Rose; 14(6), 496-502 (2002).

Deflection

Fracture and Tension Properties of Roller Compacted Concrete Cores in Uniaxial Tension. — Qingbin Li, Fude Zhang, Wencui Zhang, and Lichen Yang; 14(5), 366-73 (2002).

Deformation

Effects of Inorganic and Polymer Filler on Tertiary Damage Development in Asphalt Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(2), 164-72 (2002).

Anisotropic Modular Ratios as Unbound Aggregate Performance Indicators. — Umit Seyhan and Erol Tutumluer; 14(5), 409-16 (2002).

Degradation

Strength and Modulus Degradation of Carbon Fiber-Reinforced Polymer Laminates from Fiber Misalignment. — Xinbao Yang, Antonio Nanni, Stephen Haug, and Chung Leung Sun; 14(4), 320-6 (2002).

Delaminating

Risks of Cracking and Delamination in Patch Repair. — Mohammed H. Baluch, Mohammad K. Rahman, and Ali H. Al-Gadhib; 14(4), 294-302 (2002).

Design

History of Hot Mix Asphalt Mixture Design in the United States. — Freddy L. Roberts, Louay N. Mohammad, and L. B. Wang; 14(4), 279-93 (2002).

Deterioration

Neural Network Analysis of Chloride Diffusion in Concrete. — Jun Peng, Zongjin Li, and Baoguo Ma; 14(4), 327-33 (2002).

Distortion

Review of Stabilization of Clays and Expansive Soils in Pavements and Lightly Loaded Structures—History, Practice, and Future. — Thomas M. Petry and Dallas N. Little; 14(6), 447-60 (2002).

Dry density

Application of Coal Ash in Fluidized Thermal Beds. — Prabir K. Kolay and Devendra N. Singh; 14(5), 441-4 (2002).

Ductility

"Ductility and Strength Requirements for Base Metal in Welded T-Joints". — Robert J. Dexter, Paul M. Bergson, Sara D. Ojard, and Mark D. Graeser; 14(1), 35-43 (2002).

Laminate of Reformed Bamboo and Extruded Fiber-Reinforced Cementitious Plate. — Zongjin Li, Chun-Pong Liu, and Tongxi Yu; 14(5), 359-65 (2002).

Durability

Effects of Environmental Conditions on Performance of Polymeric Adhesives for Restoration of Concrete Structures. — Maria A. Aiello, Mariaenrica Frigione, and Domenico Acierno; 14(2), 185-9 (2002).

Introducing Ductile Strip for Durability Enhancement of Concrete Slabs. — Jun Zhang, Victor C. Li, Andrzej S. Nowak, and Shuxin Wang; 14(3), 253-61 (2002).

Dust

Laboratory Study of Dust Palliative Effectiveness. — Amy Epps and Mehbuba Ehsan; 14(5), 427-35 (2002).

Strengths of Cement Kiln Dust Concrete. — Felix F. Udoeyo and Abdul Hyee; 14(6), 524-6 (2002).

Dynamic loads

Static Small Component Tests on 2-Inch-Thick Specimens using Weld Overlays. — Peter J. Maranian and Warner Simon; 14(1), 68-74 (2002).

Earth structures

Review of Stabilization of Clays and Expansive Soils in Pavements and Lightly Loaded Structures—History, Practice, and Future. — Thomas M. Petry and Dallas N. Little; 14(6), 447-60 (2002).

Earthquake damage

Supplemental Ultrasonic Code Inspection of Structural Weldments. — George J. Gruber and Glenn M. Light; 14(1), 57-61 (2002).

Earthquake loads

Failure Analysis of Welded Steel Moment-Resisting Frame Connections. — John M. Barsom and J. V. Pellegrino, Jr.; 14(1), 24-34 (2002).

Weld Acceptance Criteria for Seismically Loaded Steel Structures. — William Mohr; 14(1), 50-6 (2002).

Epoxy resins

Effects of Environmental Conditions on Performance of Polymeric Adhesives for Restoration of Concrete Structures. — Maria A. Aiello, Mariaenrica Frigione, and Domenico Acerno; 14(2), 185-9 (2002).

Expansive soils

Review of Stabilization of Clays and Expansive Soils in Pavements and Lightly Loaded Structures—History, Practice, and Future. — Thomas M. Petry and Dallas N. Little; 14(6), 447-60 (2002).

Experimentation

Test of Four Different Experimental Methods to Determine Sorption Isotherms. — Björn Johansson and Mårten Janz; 14(6), 471-7 (2002).

Failure

Investigation of Premature Failure of Dense Friction Course Asphalt Highways in Ontario. — Moncef Nehdi and Kevin Welker; 14(3), 210-6 (2002).

Failure investigation

Failure Analysis of Welded Steel Moment-Resisting Frame Connections. — John M. Barson and J. V. Pellegrino, Jr.; 14(1), 24-34 (2002).

Fatigue

Failure Analysis of Welded Steel Moment-Resisting Frame Connections. — John M. Barson and J. V. Pellegrino, Jr.; 14(1), 24-34 (2002).

Characterization of Microdamage and Healing of Asphalt Concrete Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(6), 461-70 (2002).

Fatigue tests

Crack Initiation Model from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 14(4), 303-10 (2002).

Fiber reinforced materials

Comparative Study on Flexural Response of Full and Partial Depth Fiber-Reinforced High-Strength Concrete. — S. K. Padmarajaiah and Ananth Ramaswamy; 14(2), 130-6 (2002).

Use of Fiber Reinforced Polymer Composites as Reinforcing Material for Concrete. — Taketo Uomoto, Hiroshi Mutsuyoshi, Futoshi Katsuki, and Sudhir Misra; 14(3), 191-209 (2002).

Strength and Modulus Degradation of Carbon Fiber-Reinforced Polymer Laminates from Fiber Misalignment. — Xinbao Yang, Antonio Nanni, Stephen Haug, and Chung Leung Sun; 14(4), 320-6 (2002).

Permeability of Cracked Steel Fiber-Reinforced Concrete. — Julie Rapoport, Corina-Maria Aldea, Surendra P. Shah, Bruce Ankenman, and Alan Karr; 14(4), 355-8 (2002).

Laminate of Reformed Bamboo and Extruded Fiber-Reinforced Cementitious Plate. — Zongjin Li, Chun-Pong Liu, and Tongxi Yu; 14(5), 359-65 (2002).

Fracture Toughness of Microfiber Reinforced Cement Composites. — Patricia Kim Nelson, Victor C. Li, and Toshiro Kamada; 14(5), 384-91 (2002).

Bond-slip Response of Reinforcing Bars Embedded in Plain and Fiber Concrete. — M. Harajli, B. Hamad, and K. Karam; 14(6), 503-11 (2002).

Fibers

Mechanical Resistance of Steel Fiber Reinforced Concrete to Axial Load. — M. M. Kholmyansky; 14(4), 311-9 (2002).

Size Effect on Failure of Concrete Beams With and Without Steel Fibers. — Siddik Şener, Meral Begimgil, and Çağatay Belgin; 14(5), 436-40 (2002).

Finite elements

Micromechanics-Based Analysis of Stiffness Anisotropy in Asphalt Mixtures. — Eyad Masad, Laith Tashman, Niranjan Somedavan, and Dallas Little; 14(5), 374-83 (2002).

Flexural strength

Comparative Study on Flexural Response of Full and Partial Depth Fiber-Reinforced High-Strength Concrete. — S. K. Padmarajaiah and Ananth Ramaswamy; 14(2), 130-6 (2002).

Size Effect on Failure of Concrete Beams With and Without Steel Fibers. — Siddik Şener, Meral Begimgil, and Çağatay Belgin; 14(5), 436-40 (2002).

Flow

Effects of Constituent Materials and Quantities on Water Demand and Compressive Strength of Controlled Low-Strength Material. — Lianxiang Du, Kevin J. Folliard, and David Trejo; 14(6), 485-95 (2002).

Fly ash

Tensile Strength and Toughness of Soil-Cement-Fly-Ash Composite Reinforced with Recycled High-Density Polyethylene Strips. — Khaled Sobhan and Mehedy Mashnad; 14(2), 177-84 (2002).

High Volume Fly Ash Abrasion Resistant Concrete. — Cengiz Duran Atiş; 14(3), 274-7 (2002).

Effect of Source of Fly Ash on Abrasion Resistance of Concrete. — Tarun R. Naik, Shiw S. Singh, and Bruce W. Ramme; 14(5), 417-26 (2002).

Effects of Constituent Materials and Quantities on Water Demand and Compressive Strength of Controlled Low-Strength Material. — Lianxiang Du, Kevin J. Folliard, and David Trejo; 14(6), 485-95 (2002).

Fracture

Failure Analysis of Welded Steel Moment-Resisting Frame Connections. — John M. Barson and J. V. Pellegrino, Jr.; 14(1), 24-34 (2002).

Fracture mechanics

Weld Acceptance Criteria for Seismically Loaded Steel Structures. — William Mohr; 14(1), 50-6 (2002).

Size Effect on Failure of Concrete Beams With and Without Steel Fibers. — Siddik Şener, Meral Begimgil, and Çağatay Belgin; 14(5), 436-40 (2002).

Fracture strength

Fracture Toughness of Microfiber Reinforced Cement Composites. — Patricia Kim Nelson, Victor C. Li, and Toshiro Kamada; 14(5), 384-91 (2002).

Fractures

Development of Fracture Toughness Requirements for Weld Metals in Seismic Applications. — John M. Barson; 14(1), 44-9 (2002).

Application of Stress Diffusers to Beam-to-Column Connection. — S. D. Dimitrakakis and F. V. Lawrence; 14(1), 84-9 (2002).

Experimental Tests of Rolled Compacted Concrete and Nonlinear Fracture Analysis of Rolled Compacted Concrete Dams. — Zhang Chuhan, Wang Guanglun, Wang Shaomin, and Dong Yuxing; 14(2), 108-15 (2002).

Fracture and Tension Properties of Roller Compacted Concrete Cores in Uniaxial Tension. — Qingbin Li, Fude Zhang, Wencui Zhang, and Lichen Yang; 14(5), 366-73 (2002).

Frames

Application of Stress Diffusers to Beam-to-Column Connection. — S. D. Dimitrakakis and F. V. Lawrence; 14(1), 84-9 (2002).

Grout

Pullout Bond Properties of Fiber-Reinforced Polymer Tendons to Grout. — Burong Zhang and Ibrahim Benmokrane; 14(5), 399-408 (2002).

High strength concretes

Comparative Study on Flexural Response of Full and Partial Depth Fiber-Reinforced High-Strength Concrete. — S. K. Padmarajaiah and Ananth Ramaswamy; 14(2), 130-6 (2002).

Correlations between Mechanical Properties of High-Strength Concrete. — M. A. Rashid, M. A. Mansur, and P. Paramasivam; 14(3), 230-8 (2002).

Highways

Investigation of Premature Failure of Dense Friction Course Asphalt Highways in Ontario. — Moncef Nehdi and Kevin Welker; 14(3), 210-6 (2002).

History

Cementitious Materials—Nine Millennia and A New Century: Past, Present, and Future. — Armon Bentur; 14(1), 2-22 (2002).

History of Hot Mix Asphalt Mixture Design in the United States. — Freddy L. Roberts, Louay N. Mohammad, and L. B. Wang; 14(4), 279-93 (2002).

Imaging techniques

Micromechanics-Based Analysis of Stiffness Anisotropy in Asphalt Mixtures. — Eyad Masad, Laith Tashman, Niranjan Somedavan, and Dallas Little; 14(5), 374-83 (2002).

Inspection

Supplemental Ultrasonic Code Inspection of Structural Weldments. — George J. Gruber and Glenn M. Light; 14(1), 57-61 (2002).

Ultrasonic Testing Procedures, Technician Skills, and Qualifications. — Robert E. Shaw, Jr.; 14(1), 62-7 (2002).

Isotherms

Test of Four Different Experimental Methods to Determine Sorption Isotherms. — Björn Johansson and Mårten Janz; 14(6), 471-7 (2002).

Joints

Shearing Behavior of Joints in Load-Bearing Masonry Wall. — Nagwa R. El-Sakhawy, Hussein Abdel Raof, and Amira Gouhar; 14(2), 145-50 (2002).

Laboratory tests

Laboratory Study of Dust Palliative Effectiveness. — Amy Epps and Mehbuba Ehsan; 14(5), 427-35 (2002).

Laminates

Strength and Modulus Degradation of Carbon Fiber-Reinforced Polymer Laminates from Fiber Misalignment. — Xinbao Yang, Antonio Nanni, Stephen Haug, and Chung Leung Sun; 14(4), 320-6 (2002).

Laminate of Reformed Bamboo and Extruded Fiber-Reinforced Cementitious Plate. — Zongjin Li, Chun-Pong Liu, and Tongxi Yu; 14(5), 359-65 (2002).

Lime

Characterization and Chemical Stabilization of Al-Qurayyah Sabkha Soil. — Omar Saeed Baghabra Al-Amoudi; 14(6), 478-84 (2002).

Load resistance

Mechanical Resistance of Steel Fiber Reinforced Concrete to Axial Load. — M. M. Kholmyansky; 14(4), 311-9 (2002).

Masonry

Shearing Behavior of Joints in Load-Bearing Masonry Wall. — Nagwa R. El-Sakhawy, Hussein Abdel Raof, and Amira Gouhar; 14(2), 145-50 (2002).

Mechanical properties

Mechanical Behavior of Ferrocement Composites: Numerical Simulation. — Pankaj, Mohammed Arif, and Surendra K. Kaushik; 14(2), 156-63 (2002).

Correlations between Mechanical Properties of High-Strength Concrete. — M. A. Rashid, M. A. Mansur, and P. Paramasivam; 14(3), 230-8 (2002).

Fracture and Tension Properties of Roller Compacted Concrete Cores in Uniaxial Tension. — Qingbin Li, Fude Zhang, Wencui Zhang, and Lichen Yang; 14(5), 366-73 (2002).

Metals

"Ductility and Strength Requirements for Base Metal in Welded T-Joints". — Robert J. Dexter, Paul M. Bergson, Sara D. Ojard, and Mark D. Graeser; 14(1), 35-43 (2002).

Development of Fracture Toughness Requirements for Weld Metals in Seismic Applications. — John M. Barsom; 14(1), 44-9 (2002).

Methodology

Test of Four Different Experimental Methods to Determine Sorption Isotherms. — Björn Johansson and Mårten Janz; 14(6), 471-7 (2002).

Micromechanics

Micromechanics-Based Analysis of Stiffness Anisotropy in Asphalt Mixtures. — Eyad Masad, Laith Tashman, Niranjan Samedavan, and Dallas Little; 14(5), 374-83 (2002).

Mixtures

Utilization of Reclaimed Polyethylene in Bituminous Paving Mixes. — Mahabir Panda and Mayajit Mazumdar; 14(6), 527-30 (2002).

Moisture content

Application of Coal Ash in Fluidized Thermal Beds. — Prabir K. Kolay and Devendra N. Singh; 14(5), 441-4 (2002).

Characterization and Chemical Stabilization of Al-Qurayyah Sabkha Soil. — Omar Saeed Baghabra Al-Amoudi; 14(6), 478-84 (2002).

Clegg Hammer—California-Bearing Ratio Correlations. — Omar Saeed Baghabra Al-Amoudi, Ibrahim Mohammed Asi, Hamad I. Al-Abdul Wahhab, and Ziauddin A. Khan; 14(6), 512-23 (2002).

Neural networks

Stress-Strain Behavior of Geomaterials in Loading Reversal Simulated by Time-Delay Neural Networks. — I. A. Basheer; 14(3), 270-3 (2002).

Neural Network Analysis of Chloride Diffusion in Concrete. — Jun Peng, Zongjin Li, and Baoguo Ma; 14(4), 327-33 (2002).

Nondestructive tests

Ultrasonic Testing Procedures, Technician Skills, and Qualifications. — Robert E. Shaw, Jr.; 14(1), 62-7 (2002).

Corrosion Detection of Steel Cables using Time Domain Reflectometry. — Wei Liu, Robert G. Hunsperger, Michael J. Chajes, Kevin J. Folliard, and Eric Kunz; 14(3), 217-23 (2002).

Parameters

Characterization of Distinct Element Modeling Parameters for Fresh Concrete and its Application in Shotcrete Simulations. — U. C. Puri and T. Uomoto; 14(2), 137-44 (2002).

Penetration

Method to Predict Temperature Susceptibility of an Asphalt Binder. — Robert Otto Rasmussen, Robert L. Lytton, and George K. Chang; 14(3), 246-52 (2002).

Permeability

Permeability of Cracked Steel Fiber-Reinforced Concrete. — Julie Rapoport, Corina-Maria Aldea, Surendra P. Shah, Bruce Ankenman, and Alan Karr; 14(4), 355-8 (2002).

Plastics

Tensile Strength and Toughness of Soil-Cement-Fly-Ash Composite Reinforced with Recycled High-Density Polyethylene Strips. — Khaled Sobhan and Mehedy Mashnad; 14(2), 177-84 (2002).

Plates

Laminate of Reformed Bamboo and Extruded Fiber-Reinforced Cementitious Plate. — Zongjin Li, Chun-Pong Liu, and Tongxi Yu; 14(5), 359-65 (2002).

Polyethylene

Utilization of Reclaimed Polyethylene in Bituminous Paving Mixes. — Mahabir Panda and Mayajit Mazumdar; 14(6), 527-30 (2002).

Polymers

Effects of Inorganic and Polymer Filler on Tertiary Damage Development in Asphalt Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(2), 164-72 (2002).

Use of Fiber Reinforced Polymer Composites as Reinforcing Material for Concrete. — Taketo Uomoto, Hiroshi Mutsuyoshi, Futoshi Katsuki, and Sudhir Misra; 14(3), 191-209 (2002).

Asphalt Modified by Styrene-Butadiene-Styrene Triblock Copolymer: Morphology and Model. — Jian-Shiuh Chen, Min-Chih Liao, and Ming-Shen Shiah; 14(3), 224-9 (2002).

Strength and Modulus Degradation of Carbon Fiber-Reinforced Polymer Laminates from Fiber Misalignment. — Xinbao Yang, Antonio Nanni, Stephen Haug, and Chung Leung Sun; 14(4), 320-6 (2002).

Pullout Bond Properties of Fiber-Reinforced Polymer Tendons to Grout. — Burong Zhang and Ibrahim Benmokrane; 14(5), 399-408 (2002).

Porosity

New Tests for Porosity and Water Absorption of Fired Clay Bricks. — F. M. Khalaf and A. S. DeVenny; 14(4), 334-7 (2002).

Portland cements

Use of Cement Bypass Dust as Filler in Asphalt Concrete Mixtures. — Ramzi Taha, Amer Al-Rawas, Ali Al-Harthy, and Ahmed Qatan; 14(4), 338-43 (2002).

Predictions

Clegg Hammer—California-Bearing Ratio Correlations. — Omar Saeed Baghabra Al-Amoudi, Ibrahim Mohammed Asi, Hamad I. Al-Abdul Wahhab, and Ziauddin A. Khan; 14(6), 512-23 (2002).

Recycling

Lightweight Concrete Masonry with Recycled Wood Aggregate. — Douglas C. Stahl, Gregg Skoraczewski, Phil Arena, and Bryant Stempiski; 14(2), 116-21 (2002).

Cement Stabilization of Reclaimed Asphalt Pavement Aggregate for Road Bases and Subbases. — Ramzi Taha, Ali Al-Harthy, Khalid Al-Shamsi, and Muamer Al-Zubeidi; 14(3), 239-45 (2002).

Use of Cement Bypass Dust as Filler in Asphalt Concrete Mixtures. — Ramzi Taha, Amer Al-Rawas, Ali Al-Harthy, and Ahmed Qatan; 14(4), 338-43 (2002).

Concrete Aggregates Made from Sludge-Marine Clay Mixes. — Joo-Hwa Tay, Kuan-Yeow Show, and Sze-Yunn Hong; 14(5), 392-8 (2002).

Utilization of Reclaimed Polyethylene in Bituminous Paving Mixes. — Mahabir Panda and Mayajit Mazumdar; 14(6), 527-30 (2002).

Rehabilitation

Risks of Cracking and Delamination in Patch Repair. — Mohammed H. Baluch, Mohammad K. Rahman, and Ali H. Al-Gadhib; 14(4), 294-302 (2002).

Repairing

Cracked Column Flanges in Steel Moment Frame Buildings: Considerations for Their Repair including Report on Tests on Volumetric Weld Repairs. — Gregg Brandow and Peter Maranian; 14(1), 75-83 (2002).

Repeated loads

Anisotropic Modular Ratios as Unbound Aggregate Performance Indicators. — Umit Seyhan and Erol Tutumluer; 14(5), 409-16 (2002).

Resistance

High Volume Fly Ash Abrasion Resistant Concrete. — Cengiz Duran Atiş; 14(3), 274-7 (2002).

Restoration

Effects of Environmental Conditions on Performance of Polymeric Adhesives for Restoration of Concrete Structures. — Maria A. Aiello, Mariaenrica Frigione, and Domenico Acierio; 14(2), 185-9 (2002).

Rheology

Properties of Polymer Modified Bitumen after Rubber-Bitumen Interaction. — G. D. Airey, T. M. Singleton, and A. C. Collop; 14(4), 344-54 (2002).

Risk

Risks of Cracking and Delamination in Patch Repair. — Mohammed H. Baluch, Mohammad K. Rahman, and Ali H. Al-Gadhib; 14(4), 294-302 (2002).

Rocks

Testing and Response of Large Diameter Brittle Materials Subjected to High Strain Rate. — T. S. Lok, X. B. Li, D. Liu, and P. J. Zhao; 14(3), 262-9 (2002).

Roll compacting

Experimental Tests of Rolled Compacted Concrete and Nonlinear Fracture Analysis of Rolled Compacted Concrete Dams. — Zhang Chuhan, Wang Guanglun, Wang Shaomin, and Dong Yuxing; 14(2), 108-15 (2002).

Rubber

Properties of Polymer Modified Bitumen after Rubber-Bitumen Interaction. — G. D. Airey, T. M. Singleton, and A. C. Collop; 14(4), 344-54 (2002).

Rubber modified asphalt

Shear Modulus and Damping Ratio of Rubber-modified Asphalt Mixes and Unsaturated Subgrade Soils. — X. G. Zhong, X. Zeng, and J. G. Rose; 14(6), 496-502 (2002).

Salinity

Characterization and Chemical Stabilization of Al-Qurayyah Sabkha Soil. — Omar Saeed Baghabra Al-Amoudi; 14(6), 478-84 (2002).

Saturation

New Tests for Porosity and Water Absorption of Fired Clay Bricks. — F. M. Khalaf and A. S. DeVenny; 14(4), 334-7 (2002).

Seismic effects

Development of Fracture Toughness Requirements for Weld Metals in Seismic Applications. — John M. Barsom; 14(1), 44-9 (2002).

Application of Stress Diffusers to Beam-to-Column Connection. — S. D. Dimitrakakis and F. V. Lawrence; 14(1), 84-9 (2002).

Seismic hazards

Ultrasonic Testing Procedures, Technician Skills, and Qualifications. — Robert E. Shaw, Jr.; 14(1), 62-7 (2002).

Shear strength

Shearing Behavior of Joints in Load-Bearing Masonry Wall. — Nagwa R. El-Sakhawy, Hussein Abdel Raof, and Amira Gouhar; 14(2), 145-50 (2002).

Shear stress

Anisotropic Modular Ratios as Unbound Aggregate Performance Indicators. — Umit Seyhan and Erol Tutumluer; 14(5), 409-16 (2002).

Shotcrete

Characterization of Distinct Element Modeling Parameters for Fresh Concrete and its Application in Shotcrete Simulations. — U. C. Puri and T. Uomoto; 14(2), 137-44 (2002).

Shrinkage

Risks of Cracking and Delamination in Patch Repair. — Mohammed H. Baluch, Mohammad K. Rahman, and Ali H. Al-Gadhib; 14(4), 294-302 (2002).

Simulation

Characterization of Distinct Element Modeling Parameters for Fresh Concrete and its Application in Shotcrete Simulations. — U. C. Puri and T. Uomoto; 14(2), 137-44 (2002).

Mechanical Behavior of Ferrocement Composites: Numerical Simulation. — Pankaj, Mohammed Arif, and Surendra K. Kaushik; 14(2), 156-63 (2002).

Stress-Strain Behavior of Geomaterials in Loading Reversal Simulated by Time-Delay Neural Networks. — I. A. Basheer; 14(3), 270-3 (2002).

Size effect

Correlations between Mechanical Properties of High-Strength Concrete. — M. A. Rashid, M. A. Mansur, and P. Paramasivam; 14(3), 230-8 (2002).

Strength and Modulus Degradation of Carbon Fiber-Reinforced Polymer Laminates from Fiber Misalignment. — Xinbao Yang, Antonio Nanni, Stephen Haug, and Chung Leung Sun; 14(4), 320-6 (2002).

Size Effect on Failure of Concrete Beams With and Without Steel Fibers. — Siddik Şener, Meral Begimgil, and Çağatay Belgin; 14(5), 436-40 (2002).

Slabs

Crack Initiation Model from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 14(4), 303-10 (2002).

Slip

Pullout Bond Properties of Fiber-Reinforced Polymer Tendons to Grout. — Burong Zhang and Brahim Benmokrane; 14(5), 399-408 (2002).

Sludge

Concrete Aggregates Made from Sludge-Marine Clay Mixes. — Joo-Hwa Tay, Kuan-Yeow Show, and Sze-Yunn Hong; 14(5), 392-8 (2002).

Soils

Stress-Strain Behavior of Geomaterials in Loading Reversal Simulated by Time-Delay Neural Networks. — I. A. Basheer; 14(3), 270-3 (2002).

Laboratory Study of Dust Palliative Effectiveness. — Amy Epps and Mehboob Ehsan; 14(5), 427-35 (2002).

Stabilization

Review of Stabilization of Clays and Expansive Soils in Pavements and Lightly Loaded Structures—History, Practice, and Future. — Thomas M. Petry and Dallas N. Little; 14(6), 447-60 (2002).

Characterization and Chemical Stabilization of Al-Qurayyah Sabkha Soil. — Omar Saeed Baghabra Al-Amoudi; 14(6), 478-84 (2002).

Static tests

Static Small Component Tests on 2-Inch-Thick Specimens using Weld Overlays. — Peter J. Maranian and Warner Simon; 14(1), 68-74 (2002).

Steel

Size Effect on Failure of Concrete Beams With and Without Steel Fibers. — Siddik Şener, Meral Begimgil, and Çağatay Belgin; 14(5), 436-40 (2002).

Steel cables

Corrosion Detection of Steel Cables using Time Domain Reflectometry. — Wei Liu, Robert G. Hunsperger, Michael J. Chajes, Kevin J. Folliard, and Eric Kunz; 14(3), 217-23 (2002).

Steel frames

Failure Analysis of Welded Steel Moment-Resisting Frame Connections. — John M. Barsom and J. V. Pellegrino, Jr.; 14(1), 24-34 (2002).

Supplemental Ultrasonic Code Inspection of Structural Weldments. — George J. Gruber and Glenn M. Light; 14(1), 57-61 (2002).

Cracked Column Flanges in Steel Moment Frame Buildings: Considerations for Their Repair including Report on Tests on Volumetric Weld Repairs. — Gregg Brandow and Peter Maranian; 14(1), 75-83 (2002).

Steel structures

Weld Acceptance Criteria for Seismically Loaded Steel Structures. — William Mohr; 14(1), 50-6 (2002).

Ultrasonic Testing Procedures, Technician Skills, and Qualifications. — Robert E. Shaw, Jr.; 14(1), 62-7 (2002).

Stiffness

Strength and Modulus Degradation of Carbon Fiber-Reinforced Polymer Laminates from Fiber Misalignment. — Xinbao Yang, Antonio Nanni, Stephen Haug, and Chung Leung Sun; 14(4), 320-6 (2002).

Micromechanics-Based Analysis of Stiffness Anisotropy in Asphalt Mixtures. — Eyad Masad, Laith Tashman, Niranjana Somedavan, and Dallas Little; 14(5), 374-83 (2002).

Characterization of Microdamage and Healing of Asphalt Concrete Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(6), 461-70 (2002).

Strain hardening

Introducing Ductile Strip for Durability Enhancement of Concrete Slabs. — Jun Zhang, Victor C. Li, Andrzej S. Nowak, and Shuxin Wang; 14(3), 253-61 (2002).

Strain rate

Testing and Response of Large Diameter Brittle Materials Subjected to High Strain Rate. — T. S. Lok, X. B. Li, D. Liu, and P. J. Zhao; 14(3), 262-9 (2002).

Strain softening

Experimental Tests of Rolled Compacted Concrete and Nonlinear Fracture Analysis of Rolled Compacted Concrete Dams. — Zhang Chuhan, Wang Guanglun, Wang Shaomin, and Dong Yuexing; 14(2), 108-15 (2002).

Strength

"Ductility and Strength Requirements for Base Metal in Welded T-Joints". — Robert J. Dexter, Paul M. Bergson, Sara D. Ojard, and Mark D. Graessner; 14(1), 35-43 (2002).

Interpretation of Concrete Strength for Nonstandard Specimens. — M. A. Mansur and M. M. Islam; 14(2), 151-5 (2002).

Strength and Modulus Degradation of Carbon Fiber-Reinforced Polymer Laminates from Fiber Misalignment. — Xinbao Yang, Antonio Nanni, Stephen Haug, and Chung Leung Sun; 14(4), 320-6 (2002).

Bond-slip Response of Reinforcing Bars Embedded in Plain and Fiber Concrete. — M. Harajli, B. Hamad, and K. Karam; 14(6), 503-11 (2002).

Clegg Hammer—California-Bearing Ratio Correlations. — Omar Saeed Baghabra Al-Amoudi, Ibrahim Mohammed Asi, Hamad I. Al-Abdul Wahhab, and Ziauddin A. Khan; 14(6), 512-23 (2002).

Stress strain curves

Stress-Strain Behavior of Geomaterials in Loading Reversal Simulated by Time-Delay Neural Networks. — I. A. Basheer; 14(3), 270-3 (2002).

Stripping

Investigation of Premature Failure of Dense Friction Course Asphalt Highways in Ontario. — Moncef Nehdi and Kevin Welker; 14(3), 210-6 (2002).

Introducing Ductile Strip for Durability Enhancement of Concrete Slabs. — Jun Zhang, Victor C. Li, Andrzej S. Nowak, and Shuxin Wang; 14(3), 253-61 (2002).

Structural materials

Wood and Wood-Based Materials: Current Status and Future of a Structural Material. — Kenneth J. Fridley; 14(2), 91-6 (2002).

Temperature effects

Carbonation of Concrete Exposed to Hot and Arid Climate. — Husain Al-Khaht and Nijad Fatruhi; 14(2), 97-107 (2002).

Tendons

Pullout Bond Properties of Fiber-Reinforced Polymer Tendons to Grout. — Burong Zhang and Brahim Benmokrane; 14(5), 399-408 (2002).

Tensile strength

Tensile Strength and Toughness of Soil-Cement-Fly-Ash Composite Reinforced with Recycled High-Density Polyethylene Strips. — Khaled Sobhan and Mehedy Mashnad; 14(2), 177-84 (2002).

Fracture and Tension Properties of Roller Compacted Concrete Cores in Uniaxial Tension. — Qingbin Li, Fude Zhang, Wencui Zhang, and Lichen Yang; 14(5), 366-73 (2002).

Thermal resistance

Application of Coal Ash in Fluidized Thermal Beds. — Prabir K. Kolay and Devendra N. Singh; 14(5), 441-4 (2002).

Toughness

Development of Fracture Toughness Requirements for Weld Metals in Seismic Applications. — John M. Barsom; 14(1), 44-9 (2002).

Tensile Strength and Toughness of Soil-Cement-Fly-Ash Composite Reinforced with Recycled High-Density Polyethylene Strips. — Khaled Sobhan and Mehedy Mashnad; 14(2), 177-84 (2002).

Laminate of Reformed Bamboo and Extruded Fiber-Reinforced Cementitious Plate. — Zongjin Li, Chun-Pong Liu, and Tongxi Yu; 14(5), 359-65 (2002).

Fracture Toughness of Microfiber Reinforced Cement Composites. — Patricia Kim Nelson, Victor C. Li, and Toshiro Kamada; 14(5), 384-91 (2002).

Triaxial tests

Anisotropic Modular Ratios as Unbound Aggregate Performance Indicators. — Umit Seyhan and Erol Tutumluer; 14(5), 409-16 (2002).

Ultrasonic tests

Ultrasonic Testing Procedures, Technician Skills, and Qualifications. — Robert E. Shaw, Jr.; 14(1), 62-7 (2002).

Unpaved roads

Laboratory Study of Dust Palliative Effectiveness. — Amy Epps and Mehbuba Ehsan; 14(5), 427-35 (2002).

Unsaturated soils

Shear Modulus and Damping Ratio of Rubber-modified Asphalt Mixes and Unsaturated Subgrade Soils. — X. G. Zhong, X. Zeng, and J. G. Rose; 14(6), 496-502 (2002).

Viscoelasticity

Effects of Inorganic and Polymer Filler on Tertiary Damage Development in Asphalt Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(2), 164-72 (2002).

Viscosity

Characterization of Distinct Element Modeling Parameters for Fresh Concrete and its Application in Shotcrete Simulations. — U. C. Puri and T. Uomoto; 14(2), 137-44 (2002).

Method to Predict Temperature Susceptibility of an Asphalt Binder. — Robert Otto Rasmussen, Robert L. Lytton, and George K. Chang; 14(3), 246-52 (2002).

Voids

Characterization of Air Void Distribution in Asphalt Mixes using X-ray Computed Tomography. — E. Masad, V. K. Jandhyala, N. Dasgupta, N. Somadevan, and N. Shashidhar; 14(2), 122-9 (2002).

Walls

Shearing Behavior of Joints in Load-Bearing Masonry Wall. — Nagwa R. El-Sakhawy, Hussein Abdel Raof, and Amira Gouhar; 14(2), 145-50 (2002).

Water demand

Effects of Constituent Materials and Quantities on Water Demand and Compressive Strength of Controlled Low-Strength Material. — Lianxiang Du, Kevin J. Folliard, and David Trejo; 14(6), 485-95 (2002).

Welded joints

"Ductility and Strength Requirements for Base Metal in Welded T-Joints". — Robert J. Dexter, Paul M. Bergson, Sara D. Ojard, and Mark D. Graeser; 14(1), 35-43 (2002).

Welds

Development of Fracture Toughness Requirements for Weld Metals in Seismic Applications. — John M. Barsom; 14(1), 44-9 (2002).

Weld Acceptance Criteria for Seismically Loaded Steel Structures. — William Mohr; 14(1), 50-6 (2002).

Supplemental Ultrasonic Code Inspection of Structural Weldments. — George J. Gruber and Glenn M. Light; 14(1), 57-61 (2002).

Static Small Component Tests on 2-Inch-Thick Specimens using Weld Overlays. — Peter J. Maranian and Warner Simon; 14(1), 68-74 (2002).

Cracked Column Flanges in Steel Moment Frame Buildings: Considerations for Their Repair including Report on Tests on Volumetric Weld Repairs. — Gregg Brandow and Peter Maranian; 14(1), 75-83 (2002).

Application of Stress Diffusers to Beam-to-Column Connection. — S. D. Dimitrakakis and F. V. Lawrence; 14(1), 84-9 (2002).

Wood

Wood and Wood-Based Materials: Current Status and Future of a Structural Material. — Kenneth J. Fridley; 14(2), 91-6 (2002).

Lightweight Concrete Masonry with Recycled Wood Aggregate. — Douglas C. Stahl, Gregg Skoraczewski, Phil Arena, and Bryant Stempiski; 14(2), 116-21 (2002).

Sawdust Ash as Concrete Material. — Felix F. Udoeyo and Philibus U. Dashibil; 14(2), 173-6 (2002).

X-ray analysis

Characterization of Air Void Distribution in Asphalt Mixes using X-ray Computed Tomography. — E. Masad, V. K. Jandhyala, N. Dasgupta, N. Somadevan, and N. Shashidhar; 14(2), 122-9 (2002).

Author Index

Abdel Raof, Hussein

Shearing Behavior of Joints in Load-Bearing Masonry Wall. —Nagwa R. El-Sakhawy, Hussein Abdel Raof, and Amira Gouhar; 14(2), 145-50 (2002).

Acierno, Domenico

Effects of Environmental Conditions on Performance of Polymeric Adhesives for Restoration of Concrete Structures. —Maria A. Aiello, Mari-aenrica Frigione, and Domenico Acierno; 14(2), 185-9 (2002).

Aiello, Maria A.

Effects of Environmental Conditions on Performance of Polymeric Adhesives for Restoration of Concrete Structures. —Maria A. Aiello, Mari-aenrica Frigione, and Domenico Acierno; 14(2), 185-9 (2002).

Airey, G. D.

Properties of Polymer Modified Bitumen after Rubber-Bitumen Interaction. —G. D. Airey, T. M. Singleton, and A. C. Collop; 14(4), 344-54 (2002).

Al-Amoudi, Omar Saeed Baghabra

Characterization and Chemical Stabilization of Al-Qurayyah Sabkha Soil. —Omar Saeed Baghabra Al-Amoudi; 14(6), 478-84 (2002).

Clegg Hammer—California-Bearing Ratio Correlations. —Omar Saeed Baghabra Al-Amoudi, Ibrahim Mohammed Asi, Hamad I. Al-Abdul Wahhab, and Ziauddin A. Khan; 14(6), 512-23 (2002).

Aldea, Corina-Maria

Permeability of Cracked Steel Fiber-Reinforced Concrete. —Julie Rapoport, Corina-Maria Aldea, Surendra P. Shah, Bruce Ankenman, and Alan Karr; 14(4), 355-8 (2002).

Al-Gadhib, Ali H.

Risks of Cracking and Delamination in Patch Repair. —Mohammed H. Baluch, Mohammad K. Rahman, and Ali H. Al-Gadhib; 14(4), 294-302 (2002).

Al-Harthy, Ali

Cement Stabilization of Reclaimed Asphalt Pavement Aggregate for Road Bases and Subbases. —Ramzi Taha, Ali Al-Harthy, Khalid Al-Shamsi, and Muamer Al-Zubeidi; 14(3), 239-45 (2002).

Use of Cement Bypass Dust as Filler in Asphalt Concrete Mixtures. —Ramzi Taha, Amer Al-Rawas, Ali Al-Harthy, and Ahmed Qatan; 14(4), 338-43 (2002).

Al-Khaiat, Husain

Carbonation of Concrete Exposed to Hot and Arid Climate. —Husain Al-Khaiat and Nijad Fattuhi; 14(2), 97-107 (2002).

Al-Rawas, Amer

Use of Cement Bypass Dust as Filler in Asphalt Concrete Mixtures. —Ramzi Taha, Amer Al-Rawas, Ali Al-Harthy, and Ahmed Qatan; 14(4), 338-43 (2002).

Al-Shamsi, Khalid

Cement Stabilization of Reclaimed Asphalt Pavement Aggregate for Road Bases and Subbases. —Ramzi Taha, Ali Al-Harthy, Khalid Al-Shamsi, and Muamer Al-Zubeidi; 14(3), 239-45 (2002).

Al-Zubeidi, Muamer

Cement Stabilization of Reclaimed Asphalt Pavement Aggregate for Road Bases and Subbases. —Ramzi Taha, Ali Al-Harthy, Khalid Al-Shamsi, and Muamer Al-Zubeidi; 14(3), 239-45 (2002).

Ankenman, Bruce

Permeability of Cracked Steel Fiber-Reinforced Concrete. —Julie Rapoport, Corina-Maria Aldea, Surendra P. Shah, Bruce Ankenman, and Alan Karr; 14(4), 355-8 (2002).

Arena, Phil

Lightweight Concrete Masonry with Recycled Wood Aggregate. —Douglas C. Stahl, Gregg Skoraczewski, Phil Arena, and Bryant Stempiski; 14(2), 116-21 (2002).

Arif, Mohammed

Mechanical Behavior of Ferrocement Composites: Numerical Simulation. —Pankaj, Mohammed Arif, and Surendra K. Kaushik; 14(2), 156-63 (2002).

Asi, Ibrahim Mohammed

Clegg Hammer—California-Bearing Ratio Correlations. —Omar Saeed Baghabra Al-Amoudi, Ibrahim Mohammed Asi, Hamad I. Al-Abdul Wahhab, and Ziauddin A. Khan; 14(6), 512-23 (2002).

Atiş, Cengiz Duran

High Volume Fly Ash Abrasion Resistant Concrete. —Cengiz Duran Atiş; 14(3), 274-7 (2002).

Baluch, Mohammed H.

Risks of Cracking and Delamination in Patch Repair. —Mohammed H. Baluch, Mohammad K. Rahman, and Ali H. Al-Gadhib; 14(4), 294-302 (2002).

Barsom, John M.

Failure Analysis of Welded Steel Moment-Resisting Frame Connections. —John M. Barsom and J. V. Pellegrino, Jr.; 14(1), 24-34 (2002).
Development of Fracture Toughness Requirements for Weld Metals in Seismic Applications. —John M. Barsom; 14(1), 44-9 (2002).

Basheer, I. A.

Stress-Strain Behavior of Geomaterials in Loading Reversal Simulated by Time-Delay Neural Networks. —I. A. Basheer; 14(3), 270-3 (2002).

Bažant, Zdeněk P.

Discussion of "Fracture Analysis of High Strength Concrete Members" by Rajandra K. Navalurkar and Cheng-Tzu Thomas Hsu. —Zdeněk P. Bažant; 14(5), 445-6 (2002).

Begimgil, Meral

Size Effect on Failure of Concrete Beams With and Without Steel Fibers. —Süddük Şener, Meral Begimgil, and Çağatay Belgin; 14(5), 436-40 (2002).

Belgin, Çağatay

Size Effect on Failure of Concrete Beams With and Without Steel Fibers. —Süddük Şener, Meral Begimgil, and Çağatay Belgin; 14(5), 436-40 (2002).

Benmokrane, Brahim

Pullout Bond Properties of Fiber-Reinforced Polymer Tendons to Grout. —Burong Zhang and Brahim Benmokrane; 14(5), 399-408 (2002).

Bentur, Arnon

Cementitious Materials—Nine Millennia and A New Century: Past, Present, and Future. —Arnon Bentur; 14(1), 2-22 (2002).

Bergson, Paul M.

"Ductility and Strength Requirements for Base Metal in Welded T-Joints". —Robert J. Dexter, Paul M. Bergson, Sara D. Ojard, and Mark D. Graeser; 14(1), 35-43 (2002).

Brandow, Gregg

Cracked Column Flanges in Steel Moment Frame Buildings: Considerations for Their Repair including Report on Tests on Volumetric Weld Repairs. —Gregg Brandow and Peter Maranian; 14(1), 75-83 (2002).

Chajes, Michael J.

Corrosion Detection of Steel Cables using Time Domain Reflectometry. —Wei Liu, Robert G. Hunsperger, Michael J. Chajes, Kevin J. Follard, and Eric Kunz; 14(3), 217-23 (2002).

Chang, George K.

Method to Predict Temperature Susceptibility of an Asphalt Binder. —Robert Otto Rasmussen, Robert L. Lytton, and George K. Chang; 14(3), 246-52 (2002).

Chen, Jian-Shiuh

Asphalt Modified by Styrene-Butadiene-Styrene Triblock Copolymer: Morphology and Model. —Jian-Shiuh Chen, Min-Chih Liao, and Ming-Shen Shiah; 14(3), 224-9 (2002).

Chuhan, Zhang

Experimental Tests of Rolled Compacted Concrete and Nonlinear Fracture Analysis of Rolled Compacted Concrete Dams. —Zhang Chuhan, Wang Guanglun, Wang Shaomin, and Dong Yuexing; 14(2), 108-15 (2002).

- Collop, A. C.**
Properties of Polymer Modified Bitumen after Rubber-Bitumen Interaction. — G. D. Airey, T. M. Singleton, and A. C. Collop; 14(4), 344-54 (2002).
- Dasgupta, N.**
Characterization of Air Void Distribution in Asphalt Mixes using X-ray Computed Tomography. — E. Masad, V. K. Jandhyala, N. Dasgupta, N. Somadevan, and N. Shashidhar; 14(2), 122-9 (2002).
- Dashibil, Philibus U.**
Sawdust Ash as Concrete Material. — Felix F. Udoeyo and Philibus U. Dashibil; 14(2), 173-6 (2002).
- DeVenny, A. S.**
New Tests for Porosity and Water Absorption of Fired Clay Bricks. — F. M. Khalaf and A. S. DeVenny; 14(4), 334-7 (2002).
- Dexter, Robert J.**
"Ductility and Strength Requirements for Base Metal in Welded T-Joints". — Robert J. Dexter, Paul M. Bergson, Sara D. Ojard, and Mark D. Graeser; 14(1), 35-43 (2002).
- Dimitrakis, S. D.**
Application of Stress Diffusers to Beam-to-Column Connection. — S. D. Dimitrakis and F. V. Lawrence; 14(1), 84-9 (2002).
- Du, Lianxiang**
Effects of Constituent Materials and Quantities on Water Demand and Compressive Strength of Controlled Low-Strength Material. — Lianxiang Du, Kevin J. Folliard, and David Trejo; 14(6), 485-95 (2002).
- Ehsan, Mehbuba**
Laboratory Study of Dust Palliative Effectiveness. — Amy Epps and Mehbuba Ehsan; 14(5), 427-35 (2002).
- El-Sakhawy, Nagwa R.**
Shearing Behavior of Joints in Load-Bearing Masonry Wall. — Nagwa R. El-Sakhawy, Hussein Abdel Raof, and Amira Gouhar; 14(2), 145-50 (2002).
- Epps, Amy**
Laboratory Study of Dust Palliative Effectiveness. — Amy Epps and Mehbuba Ehsan; 14(5), 427-35 (2002).
- Fattuhi, Nijad**
Carbonation of Concrete Exposed to Hot and Arid Climate. — Husain Al-Khaiat and Nijad Fattuhi; 14(2), 97-107 (2002).
- Folliard, Kevin J.**
Corrosion Detection of Steel Cables using Time Domain Reflectometry. — Wei Liu, Robert G. Hunsperger, Michael J. Chajes, Kevin J. Folliard, and Eric Kunz; 14(3), 217-23 (2002).
Effects of Constituent Materials and Quantities on Water Demand and Compressive Strength of Controlled Low-Strength Material. — Lianxiang Du, Kevin J. Folliard, and David Trejo; 14(6), 485-95 (2002).
- Fridley, K. J.**
Errata for "Wood and wood-based materials: Current status and future of a structural material" by K. J. Fridley. — K. J. Fridley; 14(6), 531 (2002).
- Fridley, Kenneth J.**
Wood and Wood-Based Materials: Current Status and Future of a Structural Material. — Kenneth J. Fridley; 14(2), 91-6 (2002).
- Frigione, Mariaenrica**
Effects of Environmental Conditions on Performance of Polymeric Adhesives for Restoration of Concrete Structures. — Maria A. Aiello, Mariaenrica Frigione, and Domenico Acerno; 14(2), 185-9 (2002).
- Fry, Gary T.**
Special Issue on Behavior and Design of Steel Weldments. — Gary T. Fry; 14(1), 23 (2002).
- Gouhar, Amira**
Shearing Behavior of Joints in Load-Bearing Masonry Wall. — Nagwa R. El-Sakhawy, Hussein Abdel Raof, and Amira Gouhar; 14(2), 145-50 (2002).
- Graeser, Mark D.**
"Ductility and Strength Requirements for Base Metal in Welded T-Joints". — Robert J. Dexter, Paul M. Bergson, Sara D. Ojard, and Mark D. Graeser; 14(1), 35-43 (2002).
- Gruber, George J.**
Supplemental Ultrasonic Code Inspection of Structural Weldments. — George J. Gruber and Glenn M. Light; 14(1), 57-61 (2002).
- Guanglun, Wang**
Experimental Tests of Rolled Compacted Concrete and Nonlinear Fracture Analysis of Rolled Compacted Concrete Dams. — Zhang Chuhan, Wang Guanglun, Wang Shaomin, and Dong Yuexing; 14(2), 108-15 (2002).
- Hamad, B.**
Bond-slip Response of Reinforcing Bars Embedded in Plain and Fiber Concrete. — M. Harajli, B. Hamad, and K. Karam; 14(6), 503-11 (2002).
- Harajli, M.**
Bond-slip Response of Reinforcing Bars Embedded in Plain and Fiber Concrete. — M. Harajli, B. Hamad, and K. Karam; 14(6), 503-11 (2002).
- Haug, Stephen**
Strength and Modulus Degradation of Carbon Fiber-Reinforced Polymer Laminates from Fiber Misalignment. — Xinbao Yang, Antonio Nanni, Stephen Haug, and Chung Leung Sun; 14(4), 320-6 (2002).
- Hong, Sze-Yunn**
Concrete Aggregates Made from Sludge-Marine Clay Mixes. — Joo-Hwa Tay, Kuan-Yeow Show, and Sze-Yunn Hong; 14(5), 392-8 (2002).
- Hunsperger, Robert G.**
Corrosion Detection of Steel Cables using Time Domain Reflectometry. — Wei Liu, Robert G. Hunsperger, Michael J. Chajes, Kevin J. Folliard, and Eric Kunz; 14(3), 217-23 (2002).
- Hyee, Abdul**
Strengths of Cement Kiln Dust Concrete. — Felix F. Udoeyo and Abdul Hyee; 14(6), 524-6 (2002).
- Islam, M. M.**
Interpretation of Concrete Strength for Nonstandard Specimens. — M. A. Mansur and M. M. Islam; 14(2), 151-5 (2002).
- Jandhyala, V. K.**
Characterization of Air Void Distribution in Asphalt Mixes using X-ray Computed Tomography. — E. Masad, V. K. Jandhyala, N. Dasgupta, N. Somadevan, and N. Shashidhar; 14(2), 122-9 (2002).
- Janz, Mårten**
Test of Four Different Experimental Methods to Determine Sorption Isotherms. — Björn Johansson and Mårten Janz; 14(6), 471-7 (2002).
- Johannesson, Björn**
Test of Four Different Experimental Methods to Determine Sorption Isotherms. — Björn Johansson and Mårten Janz; 14(6), 471-7 (2002).
- Kamada, Toshiro**
Fracture Toughness of Microfiber Reinforced Cement Composites. — Patricia Kim Nelson, Victor C. Li, and Toshiro Kamada; 14(5), 384-91 (2002).
- Karam, K.**
Bond-slip Response of Reinforcing Bars Embedded in Plain and Fiber Concrete. — M. Harajli, B. Hamad, and K. Karam; 14(6), 503-11 (2002).
- Karr, Alan**
Permeability of Cracked Steel Fiber-Reinforced Concrete. — Julie Rapoport, Corina-Maria Aldea, Surendra P. Shah, Bruce Ankenman, and Alan Karr; 14(4), 355-8 (2002).
- Katsuki, Futoshi**
Use of Fiber Reinforced Polymer Composites as Reinforcing Material for Concrete. — Taketo Uomoto, Hiroshi Mutsuyoshi, Futoshi Katsuki, and Sudhir Misra; 14(3), 191-209 (2002).
- Kaushik, Surendra K.**
Mechanical Behavior of Ferrocement Composites: Numerical Simulation. — Pankaj, Mohammed Arif, and Surendra K. Kaushik; 14(2), 156-63 (2002).
- Khalaf, F. M.**
New Tests for Porosity and Water Absorption of Fired Clay Bricks. — F. M. Khalaf and A. S. DeVenny; 14(4), 334-7 (2002).
- Khan, Ziauddin A.**
Clegg Hammer—California-Bearing Ratio Correlations. — Omar Saeed Baghabra Al-Amoudi, Ibrahim Mohammed Asi, Hamad I. Abdul Wahhab, and Ziauddin A. Khan; 14(6), 512-23 (2002).
- Kholmyansky, M. M.**
Mechanical Resistance of Steel Fiber Reinforced Concrete to Axial Load. — M. M. Kholmyansky; 14(4), 311-9 (2002).
- Kolay, Prabir K.**
Application of Coal Ash in Fluidized Thermal Beds. — Prabir K. Kolay and Devendra N. Singh; 14(5), 441-4 (2002).
- Kunz, Eric**
Corrosion Detection of Steel Cables using Time Domain Reflectometry. — Wei Liu, Robert G. Hunsperger, Michael J. Chajes, Kevin J. Folliard, and Eric Kunz; 14(3), 217-23 (2002).
- Lawrence, F. V.**
Application of Stress Diffusers to Beam-to-Column Connection. — S. D. Dimitrakis and F. V. Lawrence; 14(1), 84-9 (2002).

Li, Qingbin

Fracture and Tension Properties of Roller Compacted Concrete Cores in Uniaxial Tension. — Qingbin Li, Fude Zhang, Wencui Zhang, and Lichen Yang; 14(5), 366-73 (2002).

Li, Victor C.

Introducing Ductile Strip for Durability Enhancement of Concrete Slabs. — Jun Zhang, Victor C. Li, Andrzej S. Nowak, and Shuxin Wang; 14(3), 253-61 (2002).

Fracture Toughness of Microfiber Reinforced Cement Composites. — Patricia Kim Nelson, Victor C. Li, and Toshiro Kamada; 14(5), 384-91 (2002).

Li, X. B.

Testing and Response of Large Diameter Brittle Materials Subjected to High Strain Rate. — T. S. Lok, X. B. Li, D. Liu, and P. J. Zhao; 14(3), 262-9 (2002).

Li, Yongqi

Crack Initiation Model from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 14(4), 303-10 (2002).

Li, Zongjin

Neural Network Analysis of Chloride Diffusion in Concrete. — Jun Peng, Zongjin Li, and Baoguo Ma; 14(4), 327-33 (2002).

Laminate of Reformed Bamboo and Extruded Fiber-Reinforced Cementitious Plate. — Zongjin Li, Chun-Pong Liu, and Tongxi Yu; 14(5), 359-65 (2002).

Liao, Min-Chih

Asphalt Modified by Styrene-Butadiene-Styrene Triblock Copolymer: Morphology and Model. — Jian-Shiuh Chen, Min-Chih Liao, and Ming-Shen Shiah; 14(3), 224-9 (2002).

Light, Glenn M.

Supplemental Ultrasonic Code Inspection of Structural Weldments. — George J. Gruber and Glenn M. Light; 14(1), 57-61 (2002).

Little, D. N.

Effects of Inorganic and Polymer Filler on Tertiary Damage Development in Asphalt Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(2), 164-72 (2002).

Characterization of Microdamage and Healing of Asphalt Concrete Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(6), 461-70 (2002).

Little, Dallas

Micromechanics-Based Analysis of Stiffness Anisotropy in Asphalt Mixtures. — Eyad Masad, Laith Tashman, Niranjana Somedavan, and Dallas Little; 14(5), 374-83 (2002).

Little, Dallas N.

Review of Stabilization of Clays and Expansive Soils in Pavements and Lightly Loaded Structures—History, Practice, and Future. — Thomas M. Petry and Dallas N. Little; 14(6), 447-60 (2002).

Liu, Chun-Pong

Laminate of Reformed Bamboo and Extruded Fiber-Reinforced Cementitious Plate. — Zongjin Li, Chun-Pong Liu, and Tongxi Yu; 14(5), 359-65 (2002).

Liu, D.

Testing and Response of Large Diameter Brittle Materials Subjected to High Strain Rate. — T. S. Lok, X. B. Li, D. Liu, and P. J. Zhao; 14(3), 262-9 (2002).

Liu, Wei

Corrosion Detection of Steel Cables using Time Domain Reflectometry. — Wei Liu, Robert G. Hunsperger, Michael J. Chajes, Kevin J. Folliard, and Eric Kunz; 14(3), 217-23 (2002).

Lok, T. S.

Testing and Response of Large Diameter Brittle Materials Subjected to High Strain Rate. — T. S. Lok, X. B. Li, D. Liu, and P. J. Zhao; 14(3), 262-9 (2002).

Lytton, R. L.

Effects of Inorganic and Polymer Filler on Tertiary Damage Development in Asphalt Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(2), 164-72 (2002).

Characterization of Microdamage and Healing of Asphalt Concrete Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(6), 461-70 (2002).

Lytton, Robert L.

Method to Predict Temperature Susceptibility of an Asphalt Binder. — Robert Otto Rasmussen, Robert L. Lytton, and George K. Chang; 14(3), 246-52 (2002).

Ma, Baoguo

Neural Network Analysis of Chloride Diffusion in Concrete. — Jun Peng, Zongjin Li, and Baoguo Ma; 14(4), 327-33 (2002).

Mansur, M. A.

Interpretation of Concrete Strength for Nonstandard Specimens. — M. A. Mansur and M. M. Islam; 14(2), 151-5 (2002).

Correlations between Mechanical Properties of High-Strength Concrete. — M. A. Rashid, M. A. Mansur, and P. Paramasivam; 14(3), 230-8 (2002).

Maranian, Peter

Cracked Column Flanges in Steel Moment Frame Buildings: Considerations for Their Repair including Report on Tests on Volumetric Weld Repairs. — Gregg Brandow and Peter Maranian; 14(1), 75-83 (2002).

Maranian, Peter J.

Static Small Component Tests on 2-Inch-Thick Specimens using Weld Overlays. — Peter J. Maranian and Warner Simon; 14(1), 68-74 (2002).

Masad, E.

Characterization of Air Void Distribution in Asphalt Mixes using X-ray Computed Tomography. — E. Masad, V. K. Jandhyala, N. Dasgupta, N. Somadevan, and N. Shashidhar; 14(2), 122-9 (2002).

Masad, Eyad

Micromechanics-Based Analysis of Stiffness Anisotropy in Asphalt Mixtures. — Eyad Masad, Laith Tashman, Niranjana Somedavan, and Dallas Little; 14(5), 374-83 (2002).

Mashnad, Mehedy

Tensile Strength and Toughness of Soil-Cement-Fly-Ash Composite Reinforced with Recycled High-Density Polyethylene Strips. — Khaled Sobhan and Mehedy Mashnad; 14(2), 177-84 (2002).

Mazumdar, Mayajit

Utilization of Reclaimed Polyethylene in Bituminous Paving Mixes. — Mahabir Panda and Mayajit Mazumdar; 14(6), 527-30 (2002).

Metcalf, John B.

Crack Initiation Model from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 14(4), 303-10 (2002).

Misra, Sudhir

Use of Fiber Reinforced Polymer Composites as Reinforcing Material for Concrete. — Taketo Uomoto, Hiroshi Mutsuyoshi, Futoshi Katsuki, and Sudhir Misra; 14(3), 191-209 (2002).

Mohammad, Louay N.

History of Hot Mix Asphalt Mixture Design in the United States. — Freddy L. Roberts, Louay N. Mohammad, and L. B. Wang; 14(4), 279-93 (2002).

Mohr, William

Weld Acceptance Criteria for Seismically Loaded Steel Structures. — William Mohr; 14(1), 50-6 (2002).

Mutsuyoshi, Hiroshi

Use of Fiber Reinforced Polymer Composites as Reinforcing Material for Concrete. — Taketo Uomoto, Hiroshi Mutsuyoshi, Futoshi Katsuki, and Sudhir Misra; 14(3), 191-209 (2002).

Naik, Tarun R.

Effect of Source of Fly Ash on Abrasion Resistance of Concrete. — Tarun R. Naik, Shiw S. Singh, and Bruce W. Ramme; 14(5), 417-26 (2002).

Nanni, Antonio

Editor's Note. — Antonio Nanni; 14(1), 1 (2002).
Strength and Modulus Degradation of Carbon Fiber-Reinforced Polymer Laminates from Fiber Misalignment. — Xinbao Yang, Antonio Nanni, Stephen Haug, and Chung Leung Sun; 14(4), 320-6 (2002).

Nehdi, Moncef

Investigation of Premature Failure of Dense Friction Course Asphalt Highways in Ontario. — Moncef Nehdi and Kevin Welker; 14(3), 210-6 (2002).

Nelson, Patricia Kim

Fracture Toughness of Microfiber Reinforced Cement Composites. — Patricia Kim Nelson, Victor C. Li, and Toshiro Kamada; 14(5), 384-91 (2002).

Nowak, Andrzej S.

Introducing Ductile Strip for Durability Enhancement of Concrete Slabs. — Jun Zhang, Victor C. Li, Andrzej S. Nowak, and Shuxin Wang; 14(3), 253-61 (2002).

Ojard, Sara D.

"Ductility and Strength Requirements for Base Metal in Welded T-Joints". — Robert J. Dexter, Paul M. Bergson, Sara D. Ojard, and Mark D. Graeser; 14(1), 35-43 (2002).

Padmarajaiah, S. K.

Comparative Study on Flexural Response of Full and Partial Depth Fiber-Reinforced High-Strength Concrete. — S. K. Padmarajaiah and Ananth Ramaswamy; 14(2), 130-6 (2002).

Panda, Mahabir

Utilization of Reclaimed Polyethylene in Bituminous Paving Mixes. — Mahabir Panda and Mayajit Mazumdar; 14(6), 527-30 (2002).

Pankaj

Mechanical Behavior of Ferrocement Composites: Numerical Simulation. — Pankaj, Mohammed Arif, and Surendra K. Kaushik; 14(2), 156-63 (2002).

Paramasivam, P.

Correlations between Mechanical Properties of High-Strength Concrete. — M. A. Rashid, M. A. Mansur, and P. Paramasivam; 14(3), 230-8 (2002).

Pellegrino, J. V., Jr.

Failure Analysis of Welded Steel Moment-Resisting Frame Connections. — John M. Barsom and J. V. Pellegrino, Jr.; 14(1), 24-34 (2002).

Peng, Jun

Neural Network Analysis of Chloride Diffusion in Concrete. — Jun Peng, Zongjin Li, and Baoguo Ma; 14(4), 327-33 (2002).

Petry, Thomas M.

Review of Stabilization of Clays and Expansive Soils in Pavements and Lightly Loaded Structures—History, Practice, and Future. — Thomas M. Petry and Dallas N. Little; 14(6), 447-60 (2002).

Puri, U. C.

Characterization of Distinct Element Modeling Parameters for Fresh Concrete and its Application in Shotcrete Simulations. — U. C. Puri and T. Uomoto; 14(2), 137-44 (2002).

Qatan, Ahmed

Use of Cement Bypass Dust as Filler in Asphalt Concrete Mixtures. — Ramzi Taha, Amer Al-Rawas, Ali Al-Harthy, and Ahmed Qatan; 14(4), 338-43 (2002).

Rahman, Mohammad K.

Risks of Cracking and Delamination in Patch Repair. — Mohammed H. Baluch, Mohammad K. Rahman, and Ali H. Al-Gadhib; 14(4), 294-302 (2002).

Ramaswamy, Ananth

Comparative Study on Flexural Response of Full and Partial Depth Fiber-Reinforced High-Strength Concrete. — S. K. Padmarajaiah and Ananth Ramaswamy; 14(2), 130-6 (2002).

Ramme, Bruce W.

Effect of Source of Fly Ash on Abrasion Resistance of Concrete. — Tarun R. Naik, Shiw S. Singh, and Bruce W. Ramme; 14(5), 417-26 (2002).

Rapoport, Julie

Permeability of Cracked Steel Fiber-Reinforced Concrete. — Julie Rapoport, Corina-Maria Aldea, Surendra P. Shah, Bruce Ankenman, and Alan Karr; 14(4), 355-8 (2002).

Rashid, M. A.

Correlations between Mechanical Properties of High-Strength Concrete. — M. A. Rashid, M. A. Mansur, and P. Paramasivam; 14(3), 230-8 (2002).

Rasmussen, Robert Otto

Method to Predict Temperature Susceptibility of an Asphalt Binder. — Robert Otto Rasmussen, Robert L. Lytton, and George K. Chang; 14(3), 246-52 (2002).

Roberts, Freddy L.

History of Hot Mix Asphalt Mixture Design in the United States. — Freddy L. Roberts, Louay N. Mohammad, and L. B. Wang; 14(4), 279-93 (2002).

Rose, J. G.

Shear Modulus and Damping Ratio of Rubber-modified Asphalt Mixes and Unsaturated Sub-grade Soils. — X. G. Zhong, X. Zeng, and J. G. Rose; 14(6), 496-502 (2002).

Şener, Siddik

Size Effect on Failure of Concrete Beams With and Without Steel Fibers. — Siddik Şener, Meral Begimgil, and Çağatay Belgin; 14(5), 436-40 (2002).

Seyhan, Umit

Anisotropic Modular Ratios as Unbound Aggregate Performance Indicators. — Umit Seyhan and Erol Tutumluer; 14(5), 409-16 (2002).

Shah, Surendra P.

Permeability of Cracked Steel Fiber-Reinforced Concrete. — Julie Rapoport, Corina-Maria Aldea, Surendra P. Shah, Bruce Ankenman, and Alan Karr; 14(4), 355-8 (2002).

Shaomin, Wang

Experimental Tests of Rolled Compacted Concrete and Nonlinear Fracture Analysis of Rolled Compacted Concrete Dams. — Zhang Chuhan, Wang Guanglun, Wang Shaomin, and Dong Yuxing; 14(2), 108-15 (2002).

Shashidhar, N.

Characterization of Air Void Distribution in Asphalt Mixes using X-ray Computed Tomography. — E. Masad, V. K. Jandhyala, N. Dasgupta, N. Somadevan, and N. Shashidhar; 14(2), 122-9 (2002).

Shaw, Robert E., Jr.

Ultrasonic Testing Procedures, Technician Skills, and Qualifications. — Robert E. Shaw, Jr.; 14(1), 62-7 (2002).

Shiah, Ming-Shen

Asphalt Modified by Styrene-Butadiene-Styrene Triblock Copolymer: Morphology and Model. — Jian-Shiuh Chen, Min-Chih Liao, and Ming-Shen Shiah; 14(3), 224-9 (2002).

Show, Kuan-Yeow

Concrete Aggregates Made from Sludge-Marine Clay Mixes. — Joo-Hwa Tay, Kuan-Yeow Show, and Sze-Yunn Hong; 14(5), 392-8 (2002).

Si, Zhiming

Effects of Inorganic and Polymer Filler on Tertiary Damage Development in Asphalt Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(2), 164-72 (2002).

Characterization of Microdamage and Healing of Asphalt Concrete Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(6), 461-70 (2002).

Simon, Warner

Static Small Component Tests on 2-Inch-Thick Specimens using Weld Overlays. — Peter J. Maranian and Warner Simon; 14(1), 68-74 (2002).

Singh, Devendra N.

Application of Coal Ash in Fluidized Thermal Beds. — Prabir K. Kolay and Devendra N. Singh; 14(5), 441-4 (2002).

Singh, Shiw S.

Effect of Source of Fly Ash on Abrasion Resistance of Concrete. — Tarun R. Naik, Shiw S. Singh, and Bruce W. Ramme; 14(5), 417-26 (2002).

Singleton, T. M.

Properties of Polymer Modified Bitumen after Rubber-Bitumen Interaction. — G. D. Airey, T. M. Singleton, and A. C. Collop; 14(4), 344-54 (2002).

Skoraczewski, Gregg

Lightweight Concrete Masonry with Recycled Wood Aggregate. — Douglas C. Stahl, Gregg Skoraczewski, Phil Arena, and Bryant Stempski; 14(2), 116-21 (2002).

Sobhan, Khaled

Tensile Strength and Toughness of Soil-Cement-Fly-Ash Composite Reinforced with Recycled High-Density Polyethylene Strips. — Khaled Sobhan and Mehedy Mashnad; 14(2), 177-84 (2002).

Somadevan, N.

Characterization of Air Void Distribution in Asphalt Mixes using X-ray Computed Tomography. — E. Masad, V. K. Jandhyala, N. Dasgupta, N. Somadevan, and N. Shashidhar; 14(2), 122-9 (2002).

Somedavan, Niranjanan

Micromechanics-Based Analysis of Stiffness Anisotropy in Asphalt Mixtures. — Eyad Masad, Laith Tashman, Niranjanan Somedavan, and Dallas Little; 14(5), 374-83 (2002).

Stahl, Douglas C.

Lightweight Concrete Masonry with Recycled Wood Aggregate. — Douglas C. Stahl, Gregg Skoraczewski, Phil Arena, and Bryant Stempski; 14(2), 116-21 (2002).

Stempski, Bryant

Lightweight Concrete Masonry with Recycled Wood Aggregate. — Douglas C. Stahl, Gregg Skoraczewski, Phil Arena, and Bryant Stempski; 14(2), 116-21 (2002).

Sun, Chung Leung

Strength and Modulus Degradation of Carbon Fiber-Reinforced Polymer Laminates from Fiber Misalignment. — Xinbao Yang, Antonio Nanni, Stephen Haug, and Chung Leung Sun; 14(4), 320-6 (2002).

Taha, Ramzi

Cement Stabilization of Reclaimed Asphalt Pavement Aggregate for Road Bases and Subbases. — Ramzi Taha, Ali Al-Harthy, Khalid Al-Shamsi, and Muamer Al-Zubeidi; 14(3), 239-45 (2002).

Use of Cement Bypass Dust as Filler in Asphalt Concrete Mixtures. — Ramzi Taha, Amer Al-Rawas, Ali Al-Harthy, and Ahmed Qatan; 14(4), 338-43 (2002).

Tashman, Laith

Micromechanics-Based Analysis of Stiffness Anisotropy in Asphalt Mixtures. — Eyad Masad, Laith Tashman, Niranjanan Somedavan, and Dallas Little; 14(5), 374-83 (2002).

Tay, Joo-Hwa

Concrete Aggregates Made from Sludge-Marine Clay Mixes. — Joo-Hwa Tay, Kuan-Yeow Show, and Sze-Yunn Hong; 14(5), 392-8 (2002).

Trejo, David

Effects of Constituent Materials and Quantities on Water Demand and Compressive Strength of Controlled Low-Strength Material. — Lianxiang Du, Kevin J. Folliard, and David Trejo; 14(6), 485-95 (2002).

Tutumluer, Erol

Anisotropic Modular Ratios as Unbound Aggregate Performance Indicators. — Umit Seyhan and Erol Tutumluer; 14(5), 409-16 (2002).

Udoeyo, Felix F.

Sawdust Ash as Concrete Material. — Felix F. Udoeyo and Philibus U. Dashibil; 14(2), 173-6 (2002).

Strengths of Cement Kiln Dust Concrete. — Felix F. Udoeyo and Abdul Hyee; 14(6), 524-6 (2002).

Uomoto, T.

Characterization of Distinct Element Modeling Parameters for Fresh Concrete and its Application in Shotcrete Simulations. — U. C. Puri and T. Uomoto; 14(2), 137-44 (2002).

Uomoto, Taketo

Use of Fiber Reinforced Polymer Composites as Reinforcing Material for Concrete. — Taketo Uomoto, Hiroshi Mutsuyoshi, Futoshi Katsuki, and Sudhir Misra; 14(3), 191-209 (2002).

Wahhab, Hamad I. Al-Abdul

Clegg Hammer—California-Bearing Ratio Correlations. — Omar Saeed Baghabra Al-Amoudi, Ibrahim Mohammed Asi, Hamad I. Al-Abdul Wahhab, and Ziauddin A. Khan; 14(6), 512-23 (2002).

Wang, L. B.

History of Hot Mix Asphalt Mixture Design in the United States. — Freddy L. Roberts, Louay N. Mohammad, and L. B. Wang; 14(4), 279-93 (2002).

Wang, Shuxin

Introducing Ductile Strip for Durability Enhancement of Concrete Slabs. — Jun Zhang, Victor C. Li, Andrzej S. Nowak, and Shuxin Wang; 14(3), 253-61 (2002).

Welker, Kevin

Investigation of Premature Failure of Dense Friction Course Asphalt Highways in Ontario. — Moncef Nehdi and Kevin Welker; 14(3), 210-6 (2002).

Yang, Lichen

Fracture and Tension Properties of Roller Compacted Concrete Cores in Uniaxial Tension. — Qingbin Li, Fude Zhang, Wencui Zhang, and Lichen Yang; 14(5), 366-73 (2002).

Yang, Xinbao

Strength and Modulus Degradation of Carbon Fiber-Reinforced Polymer Laminates from Fiber Misalignment. — Xinbao Yang, Antonio Nanni, Stephen Haug, and Chung Leung Sun; 14(4), 320-6 (2002).

Yu, Tongxi

Laminate of Reformed Bamboo and Extruded Fiber-Reinforced Cementitious Plate. — Zongjin Li, Chun-Pong Liu, and Tongxi Yu; 14(5), 359-65 (2002).

Yuexing, Dong

Experimental Tests of Rolled Compacted Concrete and Nonlinear Fracture Analysis of Rolled Compacted Concrete Dams. — Zhang Chuhan, Wang Guanglun, Wang Shaomin, and Dong Yuexing; 14(2), 108-15 (2002).

Zeng, X.

Shear Modulus and Damping Ratio of Rubber-modified Asphalt Mixes and Unsaturated Subgrade Soils. — X. G. Zhong, X. Zeng, and J. G. Rose; 14(6), 496-502 (2002).

Zhang, Burong

Pullout Bond Properties of Fiber-Reinforced Polymer Tendons to Grout. — Burong Zhang and Ibrahim Benmokrane; 14(5), 399-408 (2002).

Zhang, Fude

Fracture and Tension Properties of Roller Compacted Concrete Cores in Uniaxial Tension. — Qingbin Li, Fude Zhang, Wencui Zhang, and Lichen Yang; 14(5), 366-73 (2002).

Zhang, Jun

Introducing Ductile Strip for Durability Enhancement of Concrete Slabs. — Jun Zhang, Victor C. Li, Andrzej S. Nowak, and Shuxin Wang; 14(3), 253-61 (2002).

Zhang, Wencui

Fracture and Tension Properties of Roller Compacted Concrete Cores in Uniaxial Tension. — Qingbin Li, Fude Zhang, Wencui Zhang, and Lichen Yang; 14(5), 366-73 (2002).

Zhao, P. J.

Testing and Response of Large Diameter Brittle Materials Subjected to High Strain Rate. — T. S. Lok, X. B. Li, D. Liu, and P. J. Zhao; 14(3), 262-9 (2002).

Zhong, X. G.

Shear Modulus and Damping Ratio of Rubber-modified Asphalt Mixes and Unsaturated Subgrade Soils. — X. G. Zhong, X. Zeng, and J. G. Rose; 14(6), 496-502 (2002).



